



Trading Partner Management: Setting up the generic integration flow v2

Table of contents

- 1. INTRODUCTION 3
- 2. PREREQUISITES 3
- 3. SETTING UP INTEGRATION FLOWS 3
 - 3.1. Discover Package 3
 - 3.2. Configure Integration Flows 4
 - 3.3. Deploy Integration Flows 6
- 4. CREATE NUMBER RANGES 6

1. INTRODUCTION

This document depicts the steps needed to deploy the integration flows in Cloud Integration for the trading partner Agreements configured in Trading Partner Management (TPM). This means, sending and receiving messages to/from your trading partners with no more configuration than what is done in Trading Partner Management.

2. PREREQUISITES

You have Trading Partner Management enabled in your Cloud Integration tenant and the necessary partners and Agreements are configured there.


Get to know more about the package and its functionalities here: [Integration Flow Configuration V2 | SAP Help Portal](#)

3. SETTING UP INTEGRATION FLOWS


The first step is to set up the integration package and its integration flows.

3.1. Discover Package

Go to the Discover section of Cloud Integration and search for the package "Cloud Integration - Trading Partner Management V2".




Click on the package and copy it to your workspace.




3.2. Configure Integration Flows

Go to the Design section of your Cloud Integration tenant and click on the “Cloud Integration – Trading Partner Management V2” package you just copied.

For each Integration Flow in the package select the Configure option as shown in the picture below



In the configuration pop-up fill in the information as explained in the next chapters and click on save button.



3.2.1. Step 1 – Sender AS2 Communication Flow V2

This integration flow has the following configurable parameters:

Sender		
AS2_Sender		
Parameter	Default Value	Description
Address	/tpm/b2b/as2	Address of the endpoint to start the integration flow
Own AS2 ID	*	Own company ID (receiver) from the incoming message expected in the sender AS2 channel. It can be a placeholder
User Role	ESBMessaging.send	Role needed to call the integration flow, in case of User Role Authorization

3.2.2. Step 1 – Sender IDOC Communication Flow V2

This integration flow has the following configurable parameters:

Sender		
IDOC_Sender		
Parameter	Default Value	Description
Address	/tpm/b2b/idoc/	Address of the endpoint to start the integration flow
User Role	ESBMessaging.send	Role needed to call the integration flow, in case of User Role Authorization

3.2.3. Step 1 - Sender SOAP Communication Flow V2

This integration flow has the following configurable parameters:

Sender		
SOAP_Sender		
Parameter	Default Value	Description
Address	/tpm/b2b/soap/	Address of the endpoint to start the integration flow
User Role	ESBMessaging.send	Role needed to call the integration flow, in case of User Role Authorization

3.2.4. Step 1 - Sender Process Direct Communication Flow V2

This integration flow has the following configurable parameters:

Sender		
SOAP_Sender		
Parameter	Default Value	Description
Address	/tpm/b2b/processdirect	Address of the endpoint to start the integration flow
User Role	ESBMessaging.send	Role needed to call the integration flow, in case of User Role Authorization

3.2.5. Step 1b - Write Message to Message queue

This integration flow has the following configurable parameters:

Receiver		
Receiver		
Parameter	Default Value	Description
Queue Name	SAP_TPM_INBOUND_Q	JMS queue where the incoming message are persisted

3.2.6. Step 2 - Interchange Processing Flow V2

This integration flow has the following configurable parameters:

Sender		
JMS-Sender-Q		
Parameter	Default Value	Description
Queue Name	SAP_TPM_INBOUND_Q	JMS queue where the messages are taken from. Those are the incoming messages persisted in step 1
Receiver		
JMS-Receiver-Q		
Parameter	Default Value	Description
Queue Name	SAP_TPM_OUTBOUND_Q	JMS queue where the outgoing messages are persisted before being sent


3.2.7. Step 3 - Receiver Communication Flow V2

This integration flow has the following configurable parameters:

Sender		
Sender		
Parameter	Default Value	Description
Queue Name	SAP_TPM_OUTBOUND_Q	JMS queue where the messages are taken from. Those are the outgoing messages persisted in step 2


3.3. Deploy Integration Flows

Once the integration flows are configured you can deploy them as shown below.



4. CREATE NUMBER RANGES

The last step is to create the number ranges for the outgoing documents. For that, go to the Monitor section in your Cloud Integration tenant and select the Number Ranges tile.



You need to create the number ranges that you are referring to in your Trading Partner Management. For that, select the Add button and enter the following information:

- **Name:** Number range name as used in Trading Partner Management
- **Description**
- **Minimum Value**
- **Maximum Value**
- **Field Length:** If it is 0, then takes the length from Maximum Value
- **Rotate:** Indicate if the number range next value will start again with minimum value in case of exhausted values

In case you do not want to reference a number range for each partner in Trading Partner Management, you can create the following default number ranges:

Sender	Description	Minimum Value	Maximum Value	Field Length	Rotate
ICN_ASC_X12	Interchange reference number for type system: X12	0	999999999	9	True
ICN_DEFAULT	Default interchange reference number	0	9999999999	10	True
ICN_SAP_IDOC	Interchange reference number for type system: IDOC	0	999999999999999	0	True
ICN_UN_EDIFACT	Interchange reference number for type system: EDIFACT	0	999999999999999	0	True
ICN_SAP_SOAP	Interchange reference number for type system: SOAP	0	999999999999999	0	True