




PUBLIC

## **SAP Build Process Automation**

### **Project Manager Project Creation Configuration and User Guide**

# Contents

|                                                                                |    |
|--------------------------------------------------------------------------------|----|
| Overview .....                                                                 | 3  |
| Required SAP Business Technology Platform Services .....                       | 4  |
| Prerequisites .....                                                            | 5  |
| Configuration Guide .....                                                      | 5  |
| Setup Business Technology Platform Cockpit .....                               | 5  |
| Configure SAP Build Process Automation Destination .....                       | 5  |
| Configure SAP S/4HANA Destination .....                                        | 5  |
| Configure SAP Integration Suite Destination .....                              | 6  |
| User Roles Configuration .....                                                 | 6  |
| Cloud Connector Configuration .....                                            | 7  |
| Setup Content Package .....                                                    | 7  |
| Import SAP Build Process Automation content .....                              | 7  |
| Import and deploy TASK UI application .....                                    | 7  |
| Configuration & Modification .....                                             | 8  |
| Configure Decisions .....                                                      | 8  |
| Configure Email .....                                                          | 9  |
| Create & Configure Process .....                                               | 10 |
| Create & Configure Forms .....                                                 | 10 |
| Create & Configure Automation .....                                            | 10 |
| Create & Configure Decision .....                                              | 10 |
| Create & Configure Process Visibility Scenario .....                           | 10 |
| Release and Deploy the Process .....                                           | 10 |
| Configure and Deploy Start UI .....                                            | 11 |
| Configure SAP Work Zone .....                                                  | 12 |
| User Guides .....                                                              | 12 |
| Capabilities .....                                                             | 12 |
| Actions .....                                                                  | 14 |
| Appendix .....                                                                 | 15 |
| Creation of CDS view Additional Project Data (ZZ1_AdditionalProjectData) ..... | 15 |
| Support .....                                                                  | 19 |

This document contains 3 sections. Each section covers different information about this template content package.

1. **Overview:** In this section, you will get quick overview of the use case, what are high-level components used and how the template works in nutshell. Prerequisite section provides information of different services of SAP Business Technology Platform that are required to use this template.
2. **Configuration Guide:** It contain sections which will guide you to setup your (a) SAP Business Technology Platform Account with destination, cloud connector, user roles etc.(b) SAPUI5 application via SAP Business Application Studio and (c) Import and configure the template using SAP Build Process Automation design studio and (d) Integration Content via SAP Integration Suite (e) SAP Work Zone to access the My Inbox or Task Center and other applications.
3. **User Guide:** This section provides details about different artefacts that are used in this template like process definition, decision diagram, action project details, forms, email notifications etc. to better understand how different capabilities are used in this template.

**Note:**

- Learning contents are published only for demo and reference purposes. We do not provide any support to learning / sample content.
- This documentation is not a detailed guide to setup SAP Business Technology Platform services. It assumes that IT admin who is setting the content is skilled with SAP Business Technology Platform environment. **Configuration section must be followed.**
- This template content is to accelerate your solution development. You must modify this template according to your requirements to achieve the desired business goal. To use this template content, you need to have basic knowledge and understanding of SAP Build Process Automation, SAP Integration Suite, and its capabilities.

## Overview

This document provides technical information about what needs to be configured to make the package – Project Manager Project Creation run. The main audience of this document are technical personas like IT Administrators or Developers. The document tells what needs to be done to make the solution run. It mainly focusses on technical configuration like destinations for example.

The scenario enables a Project Management Office to inform the Project Controller about required reviews to a list of manually created projects in SAP Project System. Once the Project Controller has reviewed, the Project Management Office and Project Manager will be informed about the approved projects or about missing project information.


The scenario immensely supports the communication and active interaction between the Project Management Office and the Project Controlling in the project approval process.

**This content package can be used with both SAP S/4HANA Cloud Private Edition (2023 onwards) and SAP S/4HANA On-Premise**

**Features:**

- Automatically update project status to reflect the current approval status in the process.
- Orchestrate communication between project management and project controlling.

## Process Flow Diagram



### Solution flow :

1. First, Project Manager will create projects in Fiori App and triggers the workflow instance.
2. The Project Controller will review the list of manually created projects in 'SAP My Inbox' application..
3. Once the Project Controller has reviewed, the Project Management Office and Project Manager will be informed and receives a notification, that the project was fully approved and updated in SAP Project System.
4. If not approved, Controller will request a rework of the project details from the Project Manager. The Project Manager will receive a notification and can change properties of the Project in SAP Project System.
5. Then Project Manager will do the changes and approve the rework and new workflow instance can be triggered from Fiori application.

### Note:

- The process can be triggered via Start UI.
- My Inbox Application must be accessed through Work Zone.

## Required SAP Business Technology Platform Services

The following SAP Business Technology Platform services are required to consume the **Project Manager Project Creation**:

- SAP Build Process Automation

- SAP Connectivity service
- SAP Business Application Studio
- SAP Application Runtime Service
- SAP Work Zone, standard or advanced
- SAP Cloud Identity Services - Identity Authentication (optional)

## Prerequisites

For this template to run successfully the following prerequisites are needed

- SAP Desktop Agent 3.28 or higher.
- Get access to BTP account.
- Need valid SAP S/4HANA user.
- This template requires Integration package SAP Build Process Automation Integration with SAP S/4 HANA for Project Creation to run. You can download this package separately from the store. The guide to set-up and configure integration package is mentioned along with the integration package itself.

## Configuration Guide

**Project Manager Project Creation** template requires SAP Build Process Automation subscription and Destination Setup for SAP Build Process Automation. Follow the [setup and configuration section](#).

### Setup Business Technology Platform Cockpit

#### Configure SAP Build Process Automation Destination

To Access the SAP Build process Automation, you can configure the destination. Please create destination accordingly

| Destination Property | Value                          |
|----------------------|--------------------------------|
| Name                 | sap_process_automation_service |
| Type                 | HTTP                           |
| URL                  | <"endpoints"."api">            |
| Client ID            | <"uaa"."clientid">             |
| Client Secret        | <"uaa"."clientsecret">         |
| Token Service URL    | <"uaa"."url">/oauth/token      |
| Proxy Type Internet  | Internet                       |
| Authentication       | OAuth2ClientCredentials        |

Add the property **sap.processautomation.enabled** as **true** to view the destination in the SAP Build Process Automation tenant. Please refer [help document](#) for more details.

#### Configure SAP S/4HANA Destination

This content package can be used with S/4HANA On-Premise. Please create destinations accordingly.

| Destination Property | Value  |
|----------------------|--------|
| Name                 | <Name> |

|                     |                                                                         |
|---------------------|-------------------------------------------------------------------------|
| Type                | HTTP                                                                    |
| URL                 | <SAP S/4HANA endpoint><br>Example: https://<s4system-name>-api.xxxxxxxx |
| Proxy Type Internet | Internet                                                                |
| Authentication      | Basic Authentication                                                    |
| Username            | <Username> of the SAP S/4HANA Communication User                        |
| Password            | <Password> of the SAP S/4HANA Communication User                        |

## Configure SAP Integration Suite Destination

Configure Destination to connect to Integration Suite destination cloud system

| Destination Property | Value                                                                                                                                 |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Name                 | IntegrationSuite                                                                                                                      |
| Type                 | HTTP                                                                                                                                  |
| URL                  | <Integration Suite Destination endpoint><br><a href="https://&lt;cpi&gt;.hana.ondemand.com">https://&lt;cpi&gt;.hana.ondemand.com</a> |
| Proxy Type Internet  | Internet                                                                                                                              |
| Authentication       | Basic Authentication                                                                                                                  |
| Username             | <Username> of the SAP S/4HANA Communication User                                                                                      |
| Password             | <Password> of the SAP S/4HANA Communication User                                                                                      |

## Configure SAP Build Process Automation Email Destination

Mail notifications are used in this template to send notifications to requestor, approver, and admin during different stages of the process. Follow the instructions to setup mail destination in your SAP Business Technology Platform Account.

Configuring destination, [Configure Mail Destination](#)

- For more information refer to Create [HTTP Destinations](#) and [OAuth User Token Exchange Authentication](#).

## User Roles Configuration

To access this template, the business user will need these roles:

| Role Collection Name         | Purpose                                                                                                                                              |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| TaskCenterAdmin              | Permission to execute calls to the connector status API and monitor configured destinations and running background jobs.                             |
| Process Automation Developer | Standard Business User, can model and publish processes                                                                                              |
| ProcessAutomationParticipant | To execute (like accessing MyInbox, running the automations, etc.) this content package, you need to have this role assigned to the respective user. |

|                                           |                                                                                                                                              |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| ProcessAutomationAdmin                    | To perform process admin activities like accessing monitoring applications etc., you need to have this role assigned to the respective user. |
| Business_Application_Studio_Administrator | Allows administrators to manage (export and delete) user data.                                                                               |
| Business_Application_Studio_Developer     | Allows developers to load and develop applications using SAP Business Application Studio.                                                    |

For more information about SAP Build Process Automation roles, see [Authorizations](#).

## Cloud Connector Configuration

For SAP S/4HANA on-premises landscape, configure cloud connector to enable secure tunnel to SAP Business Technology Platform tenant. Please refer the help documentation to [configure Cloud Connector](#).

Services/Resources that need to be exposed from SAP S/4HANA on-premises using Cloud Connector.

| Resources                                                                  | Protocol | Backend -Type |
|----------------------------------------------------------------------------|----------|---------------|
| /sap/opu/odata/sap/ZZ1_ADDITIONALPROJECTDATA_CDS/ZZ1_AdditionalProjectData | OData    | SAP S/4HANA   |
| /sap/opu/odata/sap/ZZ1_PROJECTDATA_CDS/ZZ1_ProjectData                     | OData    | SAP S/4HANA   |
| /sap/opu/odata/sap/ZZ1_ADDITIONALPROJECTDATA_CDS/ZZ1_WBSElementData        | OData    | SAP S/4HANA   |
| ZZBAPI_BUS2001_SET_STATUS                                                  | BAPI/RFC | SAP S/4HANA   |

## Setup Content Package

### Import SAP Build Process Automation content

Standard automation packages released by SAP will be available at the store .To know more about the store visit [SAP Build Process Automation Store](#)

This template can be downloaded from the Store:

1. Navigate to the Store in your SAP Build Process Automation account.
2. Select the Project Type filter as “Business Process.”
3. In the Search bar type “**Project Manager Project Creation**”
4. Select the “Create from Template” button to add the template into your lobby.
5. After successfully adding the template, navigate back to the lobby to find the “**Project Manager Project Creation**” template available for use.

Caution: Be sure to select the **Project Type** as “**Business Process**” in the filters.

### Import and deploy TASK UI application

The content package requires the SAP UI5 user interface which is available in Project Manager Project Creation content package. Below are details of Task UI application

Task UI Application: pmProjectCreation-ui / ui-CoPmApproval

Following steps can be followed to utilize the SAP UI5 application provided with this process package:

- Download the SAPUI5 application Task UI from the imported store project.
- Open Business Application Studio and import the previously downloaded SAPUI5 project.
- Build SAPUI5 project using mta.yaml file and the generated project (generated mtar file will be available in the mta\_archives folder) file can be deployed.

## Configuration & Modification

Once you have added the content to your lobby, you will find the project in your project list. Adapt the content template based on your requirements.


### Configure Decisions

There are 2 decisions in this template. We can configure as required.


#### 1. Determine Project Controller

This decision helps in identifying the Project Controller based on the project data. To modify the decision:

- In process editor, double click to open the decision.
- Select the rule from the decision diagram.




- Edit the rule to add more rows or update existing value.



## 2. Determine the Start Conditions

This decision used to determine process Variant to use for the process and its attributes.




## Configure Email

Email notifications are sent to requestor and approver at different places during process and task execution. All the email artefacts in the process have default template body which can be modified.

To update the email body content, do the following:

- Select the mail artefact in the process.
- From the **Settings** in the right-side panel, check the **Mail Header** to confirm the **To** field (or email recipients) and the **Subject**. You can adjust the subject and recipient, if needed.
- You may also add someone in **CC**.
- Click to Open '**Mail Body Editor**'.



- The mail editor allows you to write and adjust text according to your needs. You can also reuse information that has been collected during the process. If you want to use additional process context data, you can simply drag the fields from the left menu to the editor on the right.

For more information on email configuration and text, refer to this [link](#)

In case any further extension needs to be made then follow the reference links below.

## Create & Configure Process

[Create a Business Process | SAP Help Portal](#)

## Create & Configure Forms

[Create a Form | SAP Help Portal](#)

## Create & Configure Automation

[Create an Automation | SAP Help Portal](#)

## Create & Configure Decision

[Create a Decision | SAP Help Portal](#)

## Create & Configure Process Visibility Scenario

[Create a Visibility Scenario | SAP Help Portal](#)

# Release and Deploy the Process

After configuring your process, it's time to publish, test and run it. To run a process, you must first release and deploy it.

**Release** - This locks the version of your process, meaning that no further edits can be made to that version.

At this stage, the process can't be run and isn't available to participants yet.

To release a version of your process:

- First ensure that the status is listed as 'Editable'.
- Then click '**Release**'.

For more information please visit : <https://help.sap.com/docs/build-process-automation/sap-build-process-automation/releasing-project>

**Note:** If this is the first time you've released the process, a version labelled 1.0.0 is released. For subsequent releases, you're prompted to select a version type before the process is released.

### Import Destination

Actual destinations that are created in SAP BTP cockpit will be required when you deploy the process. This destination will be mapped to the destination environment variables during deployment.

To configure destination,

- Click on **Control Tower**.
- Select **Destinations** from the right panel.
- Click **Add**

Select the destinations created in the setup section to be added.

For more information and screen shots, please refer to the below link: [Manage Destinations](#)

**Deploy** – This takes a released version of a process and enables it to be actively run and monitored. A deployed version of this approval process unlocks the request form, allowing participants to submit requests and the approvers to view items in their inbox.

To deploy a released version of your process,

- First ensure that the status is listed as 'Released'.
- Then click '**Deploy**'.

For more information and screen shots, please refer to the below link: [Deploy Project](#)

To deploy your project, you will be prompted to provide a destination as an environment variable. Select the destination from the drop-down and fill other environment variables as well.

- **S4HANA:** Business Technology Platform destination to connect with SAP S/4HANA system. As shown in SAP S/4 Hana destination set-up-section.
- **ProcessAutomation\_Destination:** Business Technology Platform destination to connect with ProcessAutomation\_API.
- **Integration Suite:** Business Technology Platform destination to connect with destination.

**Note:** If you do not map your destination environment variable with actual SAP Business Technology Platform destination during deployment, then the process will enter erroneous state when it tries to connect to the external system.

## Configure and Deploy Start UI

The content package requires the SAP UI5 user interface which is available in Project Manager Project Creation content package. Below are details of Start UI application

Start UI Application: pmProjectCreation-ui / ui-StartUI

Following steps can be followed to utilize the SAP UI5 application provided with this process package:

- Download the SAPUI5 application Start UI from the imported store project.
- Open Business Application Studio and import the previously downloaded SAPUI5 project.
- The definition id can be found in the Monitoring section, inside Process and Workflow Definitions. You need to enter the project name and go to the main process. The ID mentioned in the process would be the definition id. Refer [determine the workflow definition ID](#) for more details
- This definition id must be updated in Start UI application. It will be maintained either in the i18n file or controller.js file. Please refer below screenshot

```
startWorkflowInstance: function () {  
    var model = this.getView().getModel();  
    var oListModel = this.getView().getModel("ProjectListData");  
    var definitionId = " ";  
    var oInitialContext = model.getProperty("/initialContext");  
  
    var data = {  
        definitionId: definitionId,  
        context: oInitialContext  
    };  
    var that = this;
```

- Build SAPUI5 project using mta.yaml file & the generated project (generated mtar file will be available in the mta\_archieves folder) file can be deployed.

## Configure SAP Work Zone

Configure SAP Work Zone to access the start UI for this automation.

Once SAP Work zone is configured, perform the following steps to create the tile for the start UI:

1. Open content manager and click on the HTML5 Apps.
2. Select the Import Financial Data Start UI from the list of apps and choose Add.
3. Add the relevant roles to the user. Project Manager Project Creation application start UI will be available to the user as a tile in the SAP Work Zone.

If you plan to use SAP Work Zone service, then configure [SAP Work Zone with SAP Build Process Automation Applications](#) using help documentation.

## User Guides

### Capabilities

The following are the capabilities of this template:

For detailed information about different artifacts, please refer [help documentation](#)

| Type | Name | Description |
|------|------|-------------|
|------|------|-------------|

|            |                                      |                                                                                                                                                                           |
|------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Automation | Build Mailer Receiver List           | Project Manager and PMO both mail combined to get the inputs                                                                                                              |
| Automation | Determine Response                   | Automation to determine the response for the conditions.                                                                                                                  |
| Automation | Initialize Process Variables         | Automation to initialize process variable for the action project.                                                                                                         |
| Automation | Terminate Active Process Instances   | Automation to terminate active process instances.                                                                                                                         |
| Automation | Update History Details               | Automation to get the history details and update it in the UI form.                                                                                                       |
| Decision   | Determine the Project Controller     | Decision is used in the approval process step to identify the project controller.                                                                                         |
| Decision   | Determine Start Condition            | Decision to determine the process variant to use for the process and its attributes.                                                                                      |
| Form       | Admin UI                             | Form to assign the admin or to notify IT Support                                                                                                                          |
| Form       | Approval UI                          | Form to Reject, Approve, Rework                                                                                                                                           |
| Process    | Trigger Process Variant for Approval | This process enables a Project Management Office to inform the Project Controller about required reviews to a list of manually created projects in the SAP Project System |
| Process    | Initialization                       | This process gets all the required data and stores it in order to initialize and start the process.                                                                       |
| Process    | Approval                             | The process that approves, rejects and reworks the task and assigns the approver if not found.                                                                            |
| Process    | Terminate Instance                   | This process is used to terminate the active process by getting the instance Id.                                                                                          |
| Process    | Update                               | Process to update the flow after the approver has approved the task.                                                                                                      |
| Data type  | Approver Details                     | Data type to maintain the approver details.                                                                                                                               |
| Data type  | itSupport                            | Data type to maintain the email Id, user Id and the group Id for It support.                                                                                              |
| Data type  | Project                              | Datatype for maintaining details on Project                                                                                                                               |
| Data type  | Project Details                      | Data type to maintain the PMO, project Id and Project manager details.                                                                                                    |
| Data type  | Project Status                       | Data type to maintain the fields for storing the status of the task.                                                                                                      |
| Data type  | Start Condition                      | Data type to maintain the variant Id, escalation time for the decision.                                                                                                   |
| Data type  | User                                 | Data type to maintain the user details.                                                                                                                                   |

|           |                            |                                                                           |
|-----------|----------------------------|---------------------------------------------------------------------------|
| Data type | Additional Project Details | Data type to maintain the additional project details.                     |
| Data type | History Details            | Data type to maintain the history details for the UI.                     |
| Data type | processControl             | Data type to maintain the fields for process control and escalation time. |
| Data type | Process Instance Details   | Data type containing active process instance details.                     |
| Data type | Project Data               | Data type to maintain the fields for project data details.                |
| Data type | Response                   | Data type to maintain the fields for result response and update control.  |

## Actions

### PMPC - Update Project in SAP PS Action

This action enables you to retrieve the updated project details from the SAP project system

| Method | API                      | API Path                                  | Purpose                                                   |
|--------|--------------------------|-------------------------------------------|-----------------------------------------------------------|
| POST   | /http/wfmProjectCreation | /http/wfmProjectCreation/approvePSProject | This service is used to update projects in project system |

### PMPC - Get Additional Project Details Action

This action is used to get the additional project details from the S4 HANA.

| Method | API                           | API Path                                                                   | Purpose                                     |
|--------|-------------------------------|----------------------------------------------------------------------------|---------------------------------------------|
| POST   | ZZ1_ADDITIONALPROJECTDATA_CDS | /sap/opu/odata/sap/ZZ1_ADDITIONALPROJECTDATA_CDS/ZZ1_AdditionalProjectData | Retrieves the project details from the API. |

### PMPC - Get Project Details from SAP PS Action

This action enables you to get the project details such as company code, business area, location etc from the SAP project system.

| Method | API | API Path                                     | Purpose                                                     |
|--------|-----|----------------------------------------------|-------------------------------------------------------------|
| POST   | N/A | /http/wfmProjectCreation/getProjectDetailsPS | This service is used to get details from SAP Project system |

### PMPC - Start Process Instance Action

This action enables you to create process instances. This REST API uses the process capability of SAP Build Process Automation.

| Method | API                   | API Path                                    | Purpose                                                                                                                          |
|--------|-----------------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| POST   | /public/workflow/rest | /public/workflow/rest/v1/workflow-instances | This service enables you to create process instances. This REST API uses the process capability of SAP Build Process Automation. |

#### PMPC - Get link to project builder Action

This action is used to get the link to the project builder action to make the changes when rework is done.

| Method | API | API Path                            | Purpose                                         |
|--------|-----|-------------------------------------|-------------------------------------------------|
| POST   | N/A | /http/wfmProjectCreation/buildPSURL | This service is used to get URL from the system |

#### PMPC - Terminate Active Process Instances Action

This action allows you to use the workflow capability of SAP Build Process Automation. With the API, you can, for example, start new workflow instances, and terminate the existing active task.

| Method | API                   | API Path                                                         | Purpose                                                                                  |
|--------|-----------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| GET    | /public/workflow/rest | /public/workflow/rest/v1/workflow-instances                      | This service is used to get the instance of the active task which needs to be terminated |
| PATCH  | /public/workflow/rest | /public/workflow/rest/v1/workflow-instances/{workflowInstanceId} | This service is used to terminate the active instance                                    |

## Appendix

### Custom CDS View and Custom Communication Scenario

To call the APIs related to Project Manager Project Creation, the following CDS views and custom communication scenarios along with communication arrangement should be enabled for the communication user. The SAP S/4HANA custom communication scenario consists of the external API. This application is developed based on [CDS as external ODATA API](#) and [creation of custom communication scenario](#).

The creation of Custom CDS View as external API's and custom communication scenario are provided below.


#### Creation of CDS view Additional Project Data (ZZ1\_AdditionalProjectData)

Package Name: SAP S/4HANA Cloud for Sales


Label: AdditionalProjectData

Name: ZZ1\_AdditionalProjectData




1. Login to S4HANA Fiori Launchpad with required credentials.
2. Go to **Extensibility** business group and click on **Custom CDS Views** tile
3. Click on Create button, it will open the pop-up. Provide Label and Name as mentioned above. Choose **External API** option from scenario dropdown and click on button create in pop-up window.



4. Select Primary Data Source, a popup will open with list of CDS Views. Provide the Standard CDS view name as ZZ1\_AdditionalProjectData in search field and press enter. Select the required CDS to continue.



5. In case to use multiple CDS in Data Sources tab, click on Add button and select Associated Data Sources which opens pop-up. Provide the Standard CDS view name I\_ProductDescription in search field and Click "OK".



6. After selection of primary and secondary data sources, click on Join condition icon  which open 'Define Join Conditions' pop-up, click Add button and make relationship between two data sources

by selection of similar fields in Field of Associated Data Source popup and change cardinality as per requirement of CDS Views.

**Define Join Conditions:** Perform the join condition between these data sources as listed below:

Name: I\_ProductDescription

Alias: \_I\_ProductDescription

Cardinality: Zero or One [0..1]

| Data Source Field | Operator | Value Type       | Value           |
|-------------------|----------|------------------|-----------------|
| Product           | Equal    | Field            | Material        |
| Language          | Equal    | Session variable | System Language |

- Go to Elements tab, click add button and select Elements from submenu and select required fields from multiple CDS click Ok button.

The screenshot shows the SAP Custom CDS View Details interface for a view named 'AdditionalProjectData'. The 'Elements' tab is selected, displaying a list of 8 elements. The elements are defined by their Key, Alias, Type, Path, Label, Calculation, and Task. The elements are:

| Key                      | Alias                | Type      | Path                                             | Label            | Calculation | Task |
|--------------------------|----------------------|-----------|--------------------------------------------------|------------------|-------------|------|
| <input type="checkbox"/> | WBSElementInternalID | NUMC (8)  | I_WBSElementBasicData.WBSElementInternalID       | WBS Internal ID  |             |      |
| <input type="checkbox"/> | WBSElement           | CHAR (24) | I_WBSElementBasicData.WBSElement                 | WBS Element      |             |      |
| <input type="checkbox"/> | WBSDescription       | CHAR (40) | I_WBSElementBasicData.WBSDescription             | WBS Element Name |             |      |
| <input type="checkbox"/> | ProjectInternalID    | NUMC (8)  | I_WBSElementBasicData._Project.ProjectInternalID | Project Def.     |             |      |

The interface also shows a navigation bar with tabs for Data Sources, Parameters, Elements, Element Properties, Filter, Log, Tasks, and Next Steps. The 'Elements' tab is currently active. At the bottom, there are buttons for Edit, Preview, Data Browser, and Inventory.

Below mentioned elements to be added.

| Key | Alias                | Path                                             |
|-----|----------------------|--------------------------------------------------|
| X   | WBSElementInternalID | I_WBSElementBasicData.WBSElementInternalID       |
|     | WBSElement           | I_WBSElementBasicData.WBSElement                 |
|     | WBSDescription       | I_WBSElementBasicData._Project.ProjectInternalID |

|  |                     |                                                       |
|--|---------------------|-------------------------------------------------------|
|  | ProjectInternalID   | I_WBSElementBasicData._<br>Project.ProjectInternalID  |
|  | ProjectExternalID   | I_WBSElementBasicData._<br>Project.ProjectExternalID  |
|  | Project             | I_WBSElementBasicData._<br>Project.Project            |
|  | ProjectDescription  | I_WBSElementBasicData._<br>Project.ProjectDescription |
|  | _ZZ1_WBSElementData | _ZZ1_WBSElementData                                   |

8.Click on Publish button.

## Support

There is no support available for template content. If you experience general issues with SAP Build Process Automation, please follow the links below:

- [Troubleshoot Support Guided Answer](#)
- [Test an Automation Help portal Article](#)
- [Test an Application Help portal Article](#)
- [Get traces Support Guided Answer](#)

If the issue persists, please raise an incident via SAP Support Portal on **BPI-PA-BPC** component.

This template can be modified using SAP Process Automation. For example: add decisions to determine the approver based on a certain business logic or add an action to post collected information to backend SAP system. Refer [help portal](#) for more details.

[www.sap.com](http://www.sap.com)