

---

# **SAP Mapping Documentation**

Mapping Guideline

Mapping Custom cXML Invoice for Open Adapter to CSV  
Invoice

Document Version: 1.0 – 2021-05-13



---

# TABLE OF CONTENTS

<b>1</b>	<b>OVERVIEW .....</b>	<b>3</b>
<b>1.1</b>	<b>Mapping Overview .....</b>	<b>4</b>
<b>1.2</b>	<b>Mapping Elements .....</b>	<b>5</b>
<b>2</b>	<b>DETAILS .....</b>	<b>11</b>
<b>2.1</b>	<b>root — root .....</b>	<b>11</b>
<b>2.2</b>	<b>row — row .....</b>	<b>12</b>
<b>3</b>	<b>COPYRIGHT STATEMENTS .....</b>	<b>24</b>
<b>3.1</b>	<b>Copyright Statement for MAG .....</b>	<b>24</b>
<b>3.2</b>	<b>Copyright Statement for Type System ASC X12 .....</b>	<b>24</b>
<b>3.3</b>	<b>Copyright Statement for Type System UN/EDIFACT .....</b>	<b>24</b>
<b>3.4</b>	<b>Copyright Statement for Type System ISO Codelists .....</b>	<b>24</b>
<b>3.5</b>	<b>Copyright Statement for Type System UN/CEFACT .....</b>	<b>24</b>
	<b>INDEX .....</b>	<b>25</b>

---

## 1 OVERVIEW

### General Information

Name	Mapping Custom cXML Invoice for Open Adapter to CSV Invoice
Version	1.0
Status	Draft

### Source and Target MIGs

	Source	Target
Name	Custom cXML Invoice for Open Adapter	CSV Invoice
Version	1.0	1.0
Status	Draft	Draft
Message Type	InvoiceDetailRequest	csv_invoice
Type System	cXML	Customer_TS
Version	1.2.042	1.0
External Category	Message	Message

### Documentation

Summary	UID-d86ae82f-3962-4dcb-a5b6-7279016dd957
Definition	

### Business Context Data

	Source Business Context	Target Business Context
Country/Region	United States	United States
Business Process	Create Invoice	Create Invoice
Industry Classification		Consumer Products
Product Classification		Fisheries and aquaculture; Fishing and hunting equipment; Bread and bakery products; Chicken processing machinery and equipment; Fishing and aquaculture equipment

### Administrative Data

UUID	1e6bacce95d45a89bbe4e80aa70358d	URL	
Created By	alex.radu@sap.com	Modified By	alex.radu@sap.com
Created On	2021-05-07	Modified On	2021-05-13

## 1.1 MAPPING OVERVIEW

Source					Target					
Path	Name	Card.	Prim.Type	Length	Node	Card.	Prim.Type	Pos.	Length	Codelists
					root — root	1 .. 1				
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem	Invoice Detail Item	1 .. 1			<sup>L</sup> row — row	1 .. *				
/InvoiceDetailRequest/InvoiceDetailRequestHeader/invoiceID	Invoice ID	1 .. 1	String		† InvoiceNumber — Invoice Number	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/invoiceDate	Invoice Date	1 .. 1	String		† InvoiceDate — Invoice Date	1 .. 1	String			
Function					† VendorNumber — Vendor Number	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo)/Contact/Name/_CONTENT_		1 .. 1	String		† RemittanceToName — Remittance To Name	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo)/Contact/addressID	Address ID	0 .. 1	String		† RemittanceToAddressID — Remittance To Address ID	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo)/Contact/PostalAddress/Street	Street	1 .. *	String		† RemittanceToAddress — Remittance To Address	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo)/Contact/PostalAddress/City/_CONTENT_		1 .. 1	String		† RemittanceToCity — Remittance To City	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo)/Contact/PostalAddress/State/_CONTENT_		1 .. 1	String		† RemittanceToState — Remittance To State	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo)/Contact/PostalAddress/PostalCode	Postal Code	0 .. 1	String		† RemittanceToPostalCode — Remittance To Postal Code	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo)/Contact/PostalAddress/Country/isoCountryCode	Iso Country Code	1 .. 1	Token		† RemittanceToCountryCode — Remittance To Country Code	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo)/Contact/Name/_CONTENT_		1 .. 1	String		† BillToName — Bill To Name	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo)/Contact/PostalAddress/Street	Street	1 .. *	String		† BillToAddress — Bill To Address	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo)/Contact/PostalAddress/City/_CONTENT_		1 .. 1	String		† BillToCity — Bill To City	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo)/Contact/PostalAddress/State/_CONTENT_		1 .. 1	String		† BillToState — Bill To State	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo)/Contact/PostalAddress/PostalCode	Postal Code	0 .. 1	String		† BillToPostalCode — Bill To Postal Code	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo)/Contact/PostalAddress/Country/isoCountryCode	Iso Country Code	1 .. 1	Token		† BillToCountryCode — Bill To Country Code	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderReference/orderID	Order ID	0 .. 1	String		† OrderNumber — Order Number	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/invoiceLineNumber	Invoice Line Number	1 .. 1	String		† InvoiceLineNumber — Invoice Line Number	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/quantity	Quantity	1 .. 1	String		† Quantity — Quantity	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitOfMeasure	Unit Of Measure	1 .. 1	String		† UnitOfMeasure — Unit Of Measure	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice/Money/_CONTENT_		1 .. 1	String		† UnitPrice — Unit Price	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/lineNumber	Line Number	1 .. 1	String		† PurchaseOrderRefLineNumber — Purchase Order Ref Line Number	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ItemID/SupplierPartID/_CONTENT_		1 .. 1	String		† PartNumber — Part Number	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/Description/_CONTENT_		0 .. 1	String		† LineItemDescription — Line Item Description	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/SubtotalAmount/Money/_CONTENT_		1 .. 1	String		† LineItemSubTotal — Line Item Sub Total	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Money/_CONTENT_		1 .. 1	String		† LineItemTax — Line Item Tax	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/SubtotalAmount/Money/_CONTENT_		1 .. 1	String		† InvoiceSubTotal — Invoice Sub Total	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Money/_CONTENT_		1 .. 1	String		† InvoiceTax — Invoice Tax	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/ShippingAmount/Money/_CONTENT_		1 .. 1	String		† InvoiceShipping — Invoice Shipping	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/DueAmount/Money/_CONTENT_		1 .. 1	String		† InvoiceTotal — Invoice Total	1 .. 1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice/Money/currency	Currency	1 .. 1	Token		<sup>L</sup> InvoiceCurrency — Invoice Currency	1 .. 1	String			

## 1.2 MAPPING ELEMENTS

Source					Target				
Path	Name	Card.	Prim.Type	Length	Path	Name	Card.	Prim.Type	Length
/InvoiceDetailRequest	Invoice Detail Request	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader	Invoice Detail Request Header	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/invoiceID	Invoice ID	1 .. 1	String		/root/row/InvoiceNumber	Invoice Number	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/purpose	Purpose	0 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/operation	Operation	0 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/invoiceDate	Invoice Date	1 .. 1	String		/root/row/InvoiceDate	Invoice Date	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/invoiceOrigin	Invoice Origin	0 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoiceDetailHeaderIndicator	Invoice Detail Header Indicator	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoiceDetailLineIndicator	Invoice Detail Line Indicator	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]	Invoice Partner - billTo	0 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact	Contact	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/role	Role	0 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/addressID	Address ID	0 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Name	Name	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Name/lang	Lang	1 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Name/_CONTENT_		1 .. 1	String		/root/row/BillToName	Bill To Name	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress	Postal Address	0 .. *							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/Street	Street	1 .. *	String		/root/row/BillToAddress	Bill To Address	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/City	City	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/City/_CONTENT_		1 .. 1	String		/root/row/BillToCity	Bill To City	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/State	State	0 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/State/isoStateCode	Iso State Code	0 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/State/_CONTENT_		1 .. 1	String		/root/row/BillToState	Bill To State	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/PostalCode	Postal Code	0 .. 1	String		/root/row/BillToPostalCode	Bill To Postal Code	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/Country	Country	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/Country/isoCountryCode	Iso Country Code	1 .. 1	Token		/root/row/BillToCountryCode	Bill To Country Code	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/PostalAddress/Country/_CONTENT_		1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Email	Email	0 .. *							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Email/_CONTENT_		1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Phone	Phone	0 .. *							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Phone/TelephoneNumber	Telephone Number	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Phone/TelephoneNumber/CountryCode	Country Code	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Phone/TelephoneNumber/CountryCode/isoCountryCode	Iso Country Code	1 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Phone/TelephoneNumber/CountryCode/_CONTENT_		1 .. 1	String						

Source					Target				
Path	Name	Card.	Prim.Type	Length	Path	Name	Card.	Prim.Type	Length
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Phone/TelephoneNumber/AreaOrCityCode	Area Or City Code	1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=billTo]/Contact/Phone/TelephoneNumber/Number	Number	1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]	Invoice Partner - remittanceTo	0 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact	Contact	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/role	Role	0 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/addressID	Address ID	0 .. 1	String		/root/row/RemittanceToAddressID	Remittance To Address ID	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Name	Name	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Name/lang	Lang	1 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Name/_CONTENT_		1 .. 1	String		/root/row/RemittanceToName	Remittance To Name	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress	Postal Address	0 .. *							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/Street	Street	1 .. *	String		/root/row/RemittanceToAddress	Remittance To Address	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/City	City	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/City/_CONTENT_		1 .. 1	String		/root/row/RemittanceToCity	Remittance To City	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/State	State	0 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/State/isoStateCode	Iso State Code	0 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/State/_CONTENT_		1 .. 1	String		/root/row/RemittanceToState	Remittance To State	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/PostalCode	Postal Code	0 .. 1	String		/root/row/RemittanceToPostalCode	Remittance To Postal Code	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/Country	Country	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/Country/isoCountryCode	Iso Country Code	1 .. 1	Token		/root/row/RemittanceToCountryCode	Remittance To Country Code	1 .. 1	String	
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/PostalAddress/Country/_CONTENT_		1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Email	Email	0 .. *							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Email/_CONTENT_		1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Phone	Phone	0 .. *							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Phone/TelephoneNumber	Telephone Number	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Phone/TelephoneNumber/CountryCode	Country Code	1 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Phone/TelephoneNumber/CountryCode/isoCountryCode	Iso Country Code	1 .. 1	Token						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Phone/TelephoneNumber/CountryCode/_CONTENT_		1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Phone/TelephoneNumber/AreaOrCityCode	Area Or City Code	1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remittanceTo]/Contact/Phone/TelephoneNumber/Number	Number	1 .. 1	String						
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoiceIDInfo	Invoice IDInfo	0 .. 1							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoiceIDInfo/invoiceID	Invoice ID	1 .. 1	String						

Source					Target				
Path	Name	Card.	Prim.Type	Length	Path	Name	Card.	Prim.Type	Length
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoiceIDInfo/invoiceDate	Invoice Date	0..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder	Invoice Detail Order	1..*							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo	Invoice Detail Order Info	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderReference	Order Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderReference/orderID	Order ID	0..1	String		/root/row/OrderNumber	Order Number	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderReference/orderDate	Order Date	0..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderReference/DocumentReference	Document Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderReference/DocumentReference/payloadID	Payload ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/MasterAgreementIDInfo	Master Agreement IDInfo	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/MasterAgreementIDInfo/agreementID	Agreement ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/MasterAgreementReference	Master Agreement Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/MasterAgreementReference/DocumentReference	Document Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/MasterAgreementReference/DocumentReference/payloadID	Payload ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/SupplierOrderInfo	Supplier Order Info	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/SupplierOrderInfo/orderID	Order ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderIDInfo	Order IDInfo	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderIDInfo/orderID	Order ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem	Invoice Detail Item	1..1			/root/row	row	1..*		
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/invoiceLineNumber	Invoice Line Number	1..1	String		/root/row/InvoiceLineNumber	Invoice Line Number	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/quantity	Quantity	1..1	String		/root/row/Quantity	Quantity	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitOfMeasure	Unit Of Measure	1..1	String		/root/row/UnitOfMeasure	Unit Of Measure	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice	Unit Price	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice/Money/currency	Currency	1..1	Token		/root/row/InvoiceCurrency	Invoice Currency	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice/Money/_CONTENT_		1..1	String		/root/row/UnitPrice	Unit Price	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference	Invoice Detail Item Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/lineNumber	Line Number	1..1	String		/root/row/PurchaseOrderRefLineNumber	Purchase Order Ref Line Number	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ItemID	Item ID	0..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ItemID/SupplierPartID	Supplier Part ID	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ItemID/SupplierPartID/_CONTENT_		1..1	String		/root/row/PartNumber	Part Number	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/Description	Description	0..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/Description/lang	Lang	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/Description/_CONTENT_		0..1	String		/root/row/LineItemDescription	Line Item Description	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/Description/ShortName	Short Name	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ManufacturerPartID	Manufacturer Part ID	1..1	String						

Source					Target				
Path	Name	Card.	Prim.Type	Length	Path	Name	Card.	Prim.Type	Length
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ManufacturerName	Manufacturer Name	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ManufacturerName/_CONTENT_		1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/ServiceEntryItemReference	Service Entry Item Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/ServiceEntryItemReference/serviceLineNumber	Service Line Number	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/ServiceEntryItemReference/DocumentReference	Document Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/ServiceEntryItemReference/DocumentReference/payloadID	Payload ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/ServiceEntryItemIDInfo	Service Entry Item IDInfo	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/ServiceEntryItemIDInfo/serviceLineNumber	Service Line Number	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/ServiceEntryItemIDInfo/serviceEntryID	Service Entry ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/SubtotalAmount	Subtotal Amount	0..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/SubtotalAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/SubtotalAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/SubtotalAmount/Money/_CONTENT_		1..1	String		/root/row/LineItemSubTotal	Line Item Sub Total	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax	Tax	0..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Money/_CONTENT_		1..1	String		/root/row/LineItemTax	Line Item Tax	1..1	String	
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Description	Description	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Description/lang	Lang	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Description/ShortName	Short Name	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem	Invoice Detail Service Item	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/invoiceLineNumber	Invoice Line Number	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/InvoiceDetailServiceItemReference	Invoice Detail Service Item Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/ServiceEntryItemReference	Service Entry Item Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/ServiceEntryItemReference/serviceLineNumber	Service Line Number	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/ServiceEntryItemReference/DocumentReference	Document Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/ServiceEntryItemReference/DocumentReference/payloadID	Payload ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/ServiceEntryItemIDInfo	Service Entry Item IDInfo	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/ServiceEntryItemIDInfo/serviceLineNumber	Service Line Number	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/ServiceEntryItemIDInfo/serviceEntryID	Service Entry ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/SubtotalAmount	Subtotal Amount	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/SubtotalAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/SubtotalAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/SubtotalAmount/Money/_CONTENT_		1..1	String						

Source					Target				
Path	Name	Card.	Prim.Type	Length	Path	Name	Card.	Prim.Type	Length
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitRate	Unit Rate	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitRate/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitRate/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitRate/Money/_CONTENT_		1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitRate/UnitOfMeasure	Unit Of Measure	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitOfMeasure	Unit Of Measure	1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitPrice	Unit Price	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitPrice/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitPrice/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/UnitPrice/Money/_CONTENT_		1..1	String						
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailServiceItem/InvoiceLaborDetail	Invoice Labor Detail	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder	Invoice Detail Header Order	1..*							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo	Invoice Detail Order Info	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/OrderReference	Order Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/OrderReference/DocumentReference	Document Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/OrderReference/DocumentReference/payloadID	Payload ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/MasterAgreementIDInfo	Master Agreement IDInfo	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/MasterAgreementIDInfo/agreementID	Agreement ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/MasterAgreementReference	Master Agreement Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/MasterAgreementReference/DocumentReference	Document Reference	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/MasterAgreementReference/DocumentReference/payloadID	Payload ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/SupplierOrderInfo	Supplier Order Info	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/SupplierOrderInfo/orderID	Order ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/OrderIDInfo	Order IDInfo	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderInfo/OrderIDInfo/orderID	Order ID	1..1	String						
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderSummary	Invoice Detail Order Summary	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderSummary/invoiceLineNumber	Invoice Line Number	1..1	String						
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderSummary/SubtotalAmount	Subtotal Amount	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderSummary/SubtotalAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderSummary/SubtotalAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailHeaderOrder/InvoiceDetailOrderSummary/SubtotalAmount/Money/_CONTENT_		1..1	String						
/InvoiceDetailRequest/InvoiceDetailSummary	Invoice Detail Summary	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/SubtotalAmount	Subtotal Amount	1..1							

Source					Target				
Path	Name	Card.	Prim.Type	Length	Path	Name	Card.	Prim.Type	Length
/InvoiceDetailRequest/InvoiceDetailSummary/SubtotalAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/SubtotalAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/SubtotalAmount/Money/_CONTENT_		1..1	String		/root/row/InvoiceSubTotal	Invoice Sub Total	1..1	String	
/InvoiceDetailRequest/InvoiceDetailSummary/Tax	Tax	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Money/_CONTENT_		1..1	String		/root/row/InvoiceTax	Invoice Tax	1..1	String	
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Description	Description	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Description/lang	Lang	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Description/ShortName	Short Name	1..1	String						
/InvoiceDetailRequest/InvoiceDetailSummary/ShippingAmount	Shipping Amount	0..1							
/InvoiceDetailRequest/InvoiceDetailSummary/ShippingAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/ShippingAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/ShippingAmount/Money/_CONTENT_		1..1	String		/root/row/InvoiceShipping	Invoice Shipping	1..1	String	
/InvoiceDetailRequest/InvoiceDetailSummary/GrossAmount	Gross Amount	0..1							
/InvoiceDetailRequest/InvoiceDetailSummary/GrossAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/GrossAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/GrossAmount/Money/_CONTENT_		1..1	String						
/InvoiceDetailRequest/InvoiceDetailSummary/InvoiceDetailDiscount	Invoice Detail Discount	0..1							
/InvoiceDetailRequest/InvoiceDetailSummary/InvoiceDetailDiscount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/InvoiceDetailDiscount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/InvoiceDetailDiscount/Money/_CONTENT_		1..1	String						
/InvoiceDetailRequest/InvoiceDetailSummary/NetAmount	Net Amount	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/NetAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/NetAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/NetAmount/Money/_CONTENT_		1..1	String						
/InvoiceDetailRequest/InvoiceDetailSummary/DueAmount	Due Amount	0..1							
/InvoiceDetailRequest/InvoiceDetailSummary/DueAmount/Money	Money	1..1							
/InvoiceDetailRequest/InvoiceDetailSummary/DueAmount/Money/currency	Currency	1..1	Token						
/InvoiceDetailRequest/InvoiceDetailSummary/DueAmount/Money/_CONTENT_		1..1	String		/root/row/InvoiceTotal	Invoice Total	1..1	String	

2 DETAILS

2.1 root — root

Structure

Source					Target					
Path	Name	Card.	Prim.Type	Length	Node	Card.	Prim.Type	Pos.	Length	Codelists
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem	Invoice Detail Item	1..1			root — root ↳ row — row	1..1 1..*				

Element Details

Source	Target
	<p><b>Properties</b></p> <p>Tag root</p> <p>Name root</p> <p>Cardinality min: 1 max: 1</p>

2.2 row — row

Structure

Source					Target					
Path	Name	Card.	Prim.Type	Length	Node	Card.	Prim.Type	Pos.	Length	Codelists
					root — root	1..1				
					└ row — row	1..*				
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem	Invoice Detail Item	1..1			└ InvoiceNumber — Invoice Number	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/invoiceID	Invoice ID	1..1	String		└ InvoiceDate — Invoice Date	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/invoiceDate	Invoice Date	1..1	String		└ VendorNumber — Vendor Number	1..1	String			
Function					└ RemitToName — Remit To Name	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/Name/_CONTENT_		1..1	String							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/addressID	Address ID	0..1	String		└ RemitToAddressID — Remit To Address ID	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/Street	Street	1..*	String		└ RemitToAddress — Remit To Address	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/City/_CONTENT_		1..1	String		└ RemitToCity — Remit To City	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/State/_CONTENT_		1..1	String		└ RemitToState — Remit To State	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/PostalCode	Postal Code	0..1	String		└ RemitToPostalCode — Remit To Postal Code	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/Country/isoCountryCode	Iso Country Code	1..1	Token		└ RemitToCountryCode — Remit To Country Code	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/Country/isoCountryCode		1..1	String							
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/Country/isoCountryCode	Street	1..*	String		└ BillToName — Bill To Name	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/City/_CONTENT_		1..1	String		└ BillToAddress — Bill To Address	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/State/_CONTENT_		1..1	String		└ BillToCity — Bill To City	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/PostalCode	Postal Code	0..1	String		└ BillToState — Bill To State	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/Country/isoCountryCode	Iso Country Code	1..1	Token		└ BillToPostalCode — Bill To Postal Code	1..1	String			
/InvoiceDetailRequest/InvoiceDetailRequestHeader/InvoicePartner[./Contact/role=remitTo]/Contact/PostalAddress/Country/isoCountryCode		1..1	String		└ BillToCountryCode — Bill To Country Code	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailOrderInfo/OrderReference/orderID	Order ID	0..1	String		└ OrderNumber — Order Number	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/invoiceLineNumber	Invoice Line Number	1..1	String		└ InvoiceLineNumber — Invoice Line Number	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/quantity	Quantity	1..1	String		└ Quantity — Quantity	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitOfMeasure	Unit Of Measure	1..1	String		└ UnitOfMeasure — Unit Of Measure	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice/Money/_CONTENT_		1..1	String		└ UnitPrice — Unit Price	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/lineNumber	Line Number	1..1	String		└ PurchaseOrderRefLineNumber — Purchase Order Ref Line Number	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/ItemID/SupplierPartID/_CONTENT_		1..1	String		└ PartNumber — Part Number	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/InvoiceDetailItemReference/Description/_CONTENT_		0..1	String		└ LineItemDescription — Line Item Description	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/SubtotalAmount/Money/_CONTENT_		1..1	String		└ LineItemSubTotal — Line Item Sub Total	1..1	String			
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/Tax/Money/_CONTENT_		1..1	String		└ LineItemTax — Line Item Tax	1..1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/SubtotalAmount/Money/_CONTENT_		1..1	String		└ InvoiceSubTotal — Invoice Sub Total	1..1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/Tax/Money/_CONTENT_		1..1	String		└ InvoiceTax — Invoice Tax	1..1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/ShippingAmount/Money/_CONTENT_		1..1	String		└ InvoiceShipping — Invoice Shipping	1..1	String			
/InvoiceDetailRequest/InvoiceDetailSummary/DueAmount/Money/_CONTENT_		1..1	String		└ InvoiceTotal — Invoice Total	1..1	String			

Source					Target					
Path	Name	Card.	Prim.Type	Length	Node	Card.	Prim.Type	Pos.	Length	Codelists
/InvoiceDetailRequest/InvoiceDetailOrder/InvoiceDetailItem/UnitPrice/Money/currency	Currency	1..1	Token		<sup>L</sup> InvoiceCurrency — Invoice Currency	1..1	String			

#### Element Details

Source	Target
<p><b>Documentation</b></p> <p>Definition The information of an item in the order.</p> <p><b>Properties</b></p> <p>Tag InvoiceDetailItem</p> <p>Name</p> <p>Cardinality min: 1 max: 1</p> <p><b>Syntax Type Related</b></p> <p>External Category Element</p> <p><b>Notes</b></p> <p>Constraint 0 Choice : (InvoiceDetailItem InvoiceDetailServiceItem) (maxOccurs : unbounded) (minOccurs : 1)</p>	<p><b>Properties</b></p> <p>Tag row</p> <p>Name row</p> <p>Cardinality min: 1 max: *</p> <p><b>Syntax Type Related</b></p> <p>External Category Element</p>

#### Leaf Elements Mapping

##### Target Leaf Element Node: InvoiceNumber

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
invoiceID Invoice ID	A supplier-generated identifier for this Invoice. Identical to the Invoice Number which appears at the top of a physical Invoice.	Cardinality min: 1 max: 1 Primitive Type String External Category Attribute Data Type xsd:string	InvoiceNumber Invoice Number		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language	XSLT Version 2.0				
Function	<xsl:sequence select="\$nodes_in/*"/>				
Parameters	1: (NODE_LIST) invoiceID assigned to invoiceID (Source) 2: (NODE_LIST) nodes_out_1 assigned to InvoiceNumber (Target)				

##### Target Leaf Element Node: InvoiceDate

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
invoiceDate Invoice Date	Date and time this Invoice was created (should be earlier than the document's timestamp).	Cardinality min: 1 max: 1 Primitive Type String External Category Attribute Data Type xsd:string	InvoiceDate Invoice Date		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) invoiceDate assigned to invoiceDate (Source)  
2: (NODE\_LIST) nodes\_out\_1 assigned to InvoiceDate (Target)

**Target Leaf Element Node: VendorNumber**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
Function			VendorNumber Vendor Number		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
<p>Language XSLT Version 2.0</p> <p>Function &lt;!-- The content below is only a placeholder --&gt; &lt;!-- and can be replaced --&gt; &lt;xsl:sequence select="\$VENDOR_ID"/&gt;</p> <p>Parameters 1: (NODE_LIST) nodes_out_1 assigned to VendorNumber (Target)</p>					

**Target Leaf Element Node: RemitToName**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	RemitToName Remit To Name		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
<p>Language XSLT Version 2.0</p> <p>Function &lt;xsl:sequence select="\$nodes_in/*"/&gt;</p> <p>Parameters 1: (NODE_LIST) _CONTENT_ assigned to CONTENT (Source) 2: (NODE_LIST) nodes_out_1 assigned to RemitToName (Target)</p>					

**Target Leaf Element Node: RemitToAddressID**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
addressID Address ID	An id for the address. Needed to support address codes for relationships that require id references. Example: plantID	Cardinality min: 0 max: 1 Primitive Type String External Category Attribute Data Type xsd:string	RemitToAddressID Remit To Address ID		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) **addressID** assigned to **addressID** (Source)  
2: (NODE\_LIST) **nodes\_out\_1** assigned to **RemitToAddressID** (Target)

**Target Leaf Element Node: RemitToAddress**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
Street Street	string Street is a single line of an Address's location.	Cardinality min: 1 max: * Primitive Type String External Category Element Data Type xsd:string	RemitToAddress Remit To Address		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>Street</b> assigned to <b>Street</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>RemitToAddress</b> (Target)					

**Target Leaf Element Node: RemitToCity**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	RemitToCity Remit To City		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>_CONTENT_</b> assigned to <b>CONTENT</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>RemitToCity</b> (Target)					

**Target Leaf Element Node: RemitToState**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	RemitToState Remit To State		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) **CONTENT\_** assigned to **CONTENT** (Source)  
2: (NODE\_LIST) **nodes\_out\_1** assigned to **RemitToState** (Target)

**Target Leaf Element Node: RemitToPostalCode**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>PostalCode</b> Postal Code	PostalCode (I have no idea how to describe it)	Cardinality min: 0 max: 1 Primitive Type String External Category Element Data Type xsd:string	<b>RemitToPostalCode</b> Remit To Postal Code		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
Mapping Documentation/Notes/Function					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>PostalCode</b> assigned to <b>PostalCode</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>RemitToPostalCode</b> (Target)					

**Target Leaf Element Node: RemitToCountryCode**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>isoCountryCode</b> Iso Country Code	The ISO 3166 2-letter country code for this country.  Selected Values All Values in Codelist	Cardinality min: 1 max: 1 Primitive Type Token External Category Attribute Data Type xsd:token <hr/> Codelists Id ISO_3166-1 Type System ISO_CodelistsAndSchemes Version Mode Latest Version 2013	<b>RemitToCountryCode</b> Remit To Country Code		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
Mapping Documentation/Notes/Function					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>isoCountryCode</b> assigned to <b>isoCountryCode</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>RemitToCountryCode</b> (Target)					

**Target Leaf Element Node: BillToName**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>CONTENT</b>		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	<b>BillToName</b> Bill To Name		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) \_CONTENT\_ assigned to CONTENT (Source)  
2: (NODE\_LIST) nodes\_out\_1 assigned to BillToName (Target)

**Target Leaf Element Node: BillToAddress**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
Street Street	string Street is a single line of an Address's location.	Cardinality min: 1 max: * Primitive Type String External Category Element Data Type xsd:string	BillToAddress Bill To Address		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) Street assigned to Street (Source) 2: (NODE_LIST) nodes_out_1 assigned to BillToAddress (Target)					

**Target Leaf Element Node: BillToCity**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	BillToCity Bill To City		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) _CONTENT_ assigned to CONTENT (Source) 2: (NODE_LIST) nodes_out_1 assigned to BillToCity (Target)					

**Target Leaf Element Node: BillToState**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	BillToState Bill To State		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) **CONTENT\_** assigned to **CONTENT** (Source)  
2: (NODE\_LIST) **nodes\_out\_1** assigned to **BillToState** (Target)

**Target Leaf Element Node: BillToPostalCode**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>PostalCode</b> Postal Code	PostalCode (I have no idea how to describe it)	Cardinality min: 0 max: 1 Primitive Type String External Category Element Data Type xsd:string	<b>BillToPostalCode</b> Bill To Postal Code		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
Mapping Documentation/Notes/Function					
Language XSLT Version 2.0 Function <xsl:sequence select="\$nodes_in/*"/> Parameters 1: (NODE_LIST) <b>PostalCode</b> assigned to <b>PostalCode</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>BillToPostalCode</b> (Target)					

**Target Leaf Element Node: BillToCountryCode**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>isoCountryCode</b> Iso Country Code	The ISO 3166 2-letter country code for this country.  Selected Values All Values in Codelist	Cardinality min: 1 max: 1 Primitive Type Token External Category Attribute Data Type xsd:token <hr/> Codelists Id ISO_3166-1 Type System ISO_CodelistsAndSchemes Version Mode Latest Version 2013	<b>BillToCountryCode</b> Bill To Country Code		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
Mapping Documentation/Notes/Function					
Language XSLT Version 2.0 Function <xsl:sequence select="\$nodes_in/*"/> Parameters 1: (NODE_LIST) <b>isoCountryCode</b> assigned to <b>isoCountryCode</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>BillToCountryCode</b> (Target)					

**Target Leaf Element Node: OrderNumber**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>orderID</b> Order ID	The buyer system orderID for this request. Basically, what the PO number is today. If present, must be copied directly from the referenced OrderRequest document's OrderRequestHeader.	Cardinality min: 0 max: 1 Primitive Type String External Category Attribute Data Type xsd:string	<b>OrderNumber</b> Order Number		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) **orderID** assigned to **orderID** (Source)  
2: (NODE\_LIST) **nodes\_out\_1** assigned to **OrderNumber** (Target)

**Target Leaf Element Node: InvoiceLineNumber**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>invoiceLineNumber</b> Invoice Line Number	Supplier defined ID for the current invoice line. It should be unique across all invoice lines of the same InvoiceDetailRequest.	Cardinality min: 1 max: 1 Primitive Type String External Category Attribute Data Type xsd:string	<b>InvoiceLineNumber</b> Invoice Line Number		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>invoiceLineNumber</b> assigned to <b>invoiceLineNumber</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>InvoiceLineNumber</b> (Target)					

**Target Leaf Element Node: Quantity**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>quantity</b> Quantity	The quantity being actually invoiced for the current line item.	Cardinality min: 1 max: 1 Primitive Type String External Category Attribute Data Type xsd:string	<b>Quantity</b> Quantity		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>quantity</b> assigned to <b>quantity</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>Quantity</b> (Target)					

**Target Leaf Element Node: UnitOfMeasure**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>UnitOfMeasure</b> Unit Of Measure	The unit of measure.	Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	<b>UnitOfMeasure</b> Unit Of Measure		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) **UnitOfMeasure** assigned to **UnitOfMeasure** (Source)  
2: (NODE\_LIST) **nodes\_out\_1** assigned to **UnitOfMeasure** (Target)

**Target Leaf Element Node: UnitPrice**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	UnitPrice Unit Price		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>_CONTENT_</b> assigned to <b>CONTENT</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>UnitPrice</b> (Target)					

**Target Leaf Element Node: PurchaseOrderRefLineNumber**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
lineNumber Line Number	The line number of current line item, copied from OrderRequest.	Cardinality min: 1 max: 1 Primitive Type String External Category Attribute Data Type xsd:string	PurchaseOrderRefLineNumber Purchase Order Ref Line Number		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST) <b>lineNumber</b> assigned to <b>lineNumber</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>PurchaseOrderRefLineNumber</b> (Target)					

**Target Leaf Element Node: PartNumber**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	PartNumber Part Number		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST)\_CONTENT\_ assigned to CONTENT (Source)  
2: (NODE\_LIST) nodes\_out\_1 assigned to PartNumber (Target)

**Target Leaf Element Node: LineItemDescription**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT	Constraint 0 Choice : (CONTENT ShortName) (maxOccurs : unbounded) (minOccurs : 0)	Cardinality min: 0 max: 1 Primitive Type String External Category Element Data Type xsd:string	LineItemDescription Line Item Description		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="normalize-space(\$nodes_in/*)"/>					
Parameters 1: (NODE_LIST)_CONTENT_ assigned to CONTENT (Source) 2: (NODE_LIST) nodes_out_1 assigned to LineItemDescription (Target)					

**Target Leaf Element Node: LineItemSubTotal**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	LineItemSubTotal Line Item Sub Total		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST)_CONTENT_ assigned to CONTENT (Source) 2: (NODE_LIST) nodes_out_1 assigned to LineItemSubTotal (Target)					

**Target Leaf Element Node: LineItemTax**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	LineItemTax Line Item Tax		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST)\_CONTENT\_ assigned to CONTENT (Source)  
2: (NODE\_LIST) nodes\_out\_1 assigned to LineItemTax (Target)

**Target Leaf Element Node: InvoiceSubTotal**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	InvoiceSubTotal Invoice Sub Total		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST)_CONTENT_ assigned to CONTENT (Source) 2: (NODE_LIST) nodes_out_1 assigned to InvoiceSubTotal (Target)					

**Target Leaf Element Node: InvoiceTax**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	InvoiceTax Invoice Tax		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0					
Function <xsl:sequence select="\$nodes_in/*"/>					
Parameters 1: (NODE_LIST)_CONTENT_ assigned to CONTENT (Source) 2: (NODE_LIST) nodes_out_1 assigned to InvoiceTax (Target)					

**Target Leaf Element Node: InvoiceShipping**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
CONTENT		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	InvoiceShipping Invoice Shipping		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string

**Mapping Documentation/Notes/Function**

Language XSLT Version 2.0

Function <xsl:sequence select="\$nodes\_in/\*"/>

Parameters 1: (NODE\_LIST) **CONTENT\_** assigned to **CONTENT** (Source)  
2: (NODE\_LIST) **nodes\_out\_1** assigned to **InvoiceShipping** (Target)

**Target Leaf Element Node: InvoiceTotal**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>CONTENT</b>		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string	<b>InvoiceTotal</b> Invoice Total		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0 Function <xsl:sequence select="\$nodes_in/*"/> Parameters 1: (NODE_LIST) <b>CONTENT_</b> assigned to <b>CONTENT</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>InvoiceTotal</b> (Target)					

**Target Leaf Element Node: InvoiceCurrency**

Source			Target		
Tag/Name	Description/Notes/Code Values	Properties	Tag/Name	Description/Notes/Code Values	Properties
<b>currency</b> Currency	Specifies the currency in which amount is stated, must conform to ISO 4217 currency codes.  Selected Values All Values in Codelist	Cardinality min: 1 max: 1 Primitive Type Token External Category Attribute Data Type xsd:token  Codelists Id ISO_4217 Type System ISO_CodelistsAndSchemes Version Mode Latest Version 2015	<b>InvoiceCurrency</b> Invoice Currency		Cardinality min: 1 max: 1 Primitive Type String External Category Element Data Type xsd:string
<b>Mapping Documentation/Notes/Function</b>					
Language XSLT Version 2.0 Function <xsl:sequence select="\$nodes_in/*"/> Parameters 1: (NODE_LIST) <b>currency</b> assigned to <b>currency</b> (Source) 2: (NODE_LIST) <b>nodes_out_1</b> assigned to <b>InvoiceCurrency</b> (Target)					

---

### **3 COPYRIGHT STATEMENTS**

#### **3.1 Copyright Statement for MAG**

See also: <http://www.sap.com/copyright>

#### **3.2 Copyright Statement for Type System ASC X12**

Copyright (c) 2017, Accredited Standards Committee X12 Incorporated, Format (c) 2017 Washington Publishing Company. Exclusively published by the Washington Publishing Company. No part of this publication may be distributed, posted, reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior written permission of the copyright owner. See also: <http://members.x12.org/policies-procedures/adp06-intellectual-property-rights-policy-statement.pdf>

#### **3.3 Copyright Statement for Type System UN/EDIFACT**

Copyright (c) United Nations 2000-2008. All rights reserved. None of the materials provided on this web site may be used, reproduced or transmitted, in whole or in part, in any form or by any means, electronic or mechanical, including photocopying, recording or the use of any information storage and retrieval system, except as provided for in the Terms and Conditions of Use of United Nations Web Sites, without permission in writing from the publisher. To request such permission and for further enquiries, contact the Secretary of the Publications Board, United Nations, New York, NY, 10017, USA (pubboard@un.org; Telephone: (+1) 212-963-4664; Facsimile: (+1) 212-963-0077). See also: [http://www.unece.org/legal\\_notice/copyrightnotice.html](http://www.unece.org/legal_notice/copyrightnotice.html)

#### **3.4 Copyright Statement for Type System ISO Codelists**

Copyright (c) 2017, ISO All ISO content is copyright protected. The copyright is owned by ISO. Any use of the content, including copying of it in whole or in part, for example to another Internet site, is prohibited and would require written permission from ISO. All ISO publications are also protected by copyright. The copyright ownership of ISO is clearly indicated on every ISO publication. Any unauthorized use such as copying, scanning or distribution is prohibited. Requests for permission should be addressed to the ISO Central Secretariat or directly through the ISO member in your country. See more: <https://www.iso.org/privacy-and-copyright.html>

#### **3.5 Copyright Statement for Type System UN/CEFACT**

Copyright (c) United Nations 2000-2008. All rights reserved. None of the materials provided on this web site may be used, reproduced or transmitted, in whole or in part, in any form or by any means, electronic or mechanical, including photocopying, recording or the use of any information storage and retrieval system, except as provided for in the Terms and Conditions of Use of United Nations Web Sites, without permission in writing from the publisher. To request such permission and for further enquiries, contact the Secretary of the Publications Board, United Nations, New York, NY, 10017, USA (pubboard@un.org; Telephone: (+1) 212-963-4664; Facsimile: (+1) 212-963-0077). See also: [http://www.unece.org/legal\\_notice/copyrightnotice.html](http://www.unece.org/legal_notice/copyrightnotice.html)

---

## INDEX

### Source

addressID — Address ID , *p. 14*  
CONTENT , *p. 16*  
CONTENT , *p. 17*  
CONTENT , *p. 17*  
CONTENT , *p. 14*  
CONTENT , *p. 15*  
CONTENT , *p. 15*  
CONTENT , *p. 20*  
CONTENT , *p. 20*  
CONTENT , *p. 21*  
CONTENT , *p. 21*  
CONTENT , *p. 21*  
CONTENT , *p. 21*  
CONTENT , *p. 22*  
CONTENT , *p. 22*  
CONTENT , *p. 22*  
CONTENT , *p. 22*  
CONTENT , *p. 23*  
currency — Currency , *p. 23*  
invoiceDate — Invoice Date , *p. 13*  
InvoiceDetailItem — Invoice Detail Item , *p. 13*  
invoiceID — Invoice ID , *p. 13*  
invoiceLineNumber — Invoice Line Number , *p. 19*  
isoCountryCode — Iso Country Code , *p. 18*  
isoCountryCode — Iso Country Code , *p. 16*  
lineNumber — Line Number , *p. 20*  
orderID — Order ID , *p. 18*  
PostalCode — Postal Code , *p. 18*  
PostalCode — Postal Code , *p. 16*  
quantity — Quantity , *p. 19*  
Street — Street , *p. 17*  
Street — Street , *p. 15*  
UnitOfMeasure — Unit Of Measure , *p. 19*

### Target

BillToAddress — Bill To Address, *p. 17*  
BillToCity — Bill To City, *p. 17*  
BillToCountryCode — Bill To Country Code, *p. 18*  
BillToName — Bill To Name, *p. 16*  
BillToPostalCode — Bill To Postal Code, *p. 18*  
BillToState — Bill To State, *p. 17*  
InvoiceCurrency — Invoice Currency, *p. 23*  
InvoiceDate — Invoice Date, *p. 13*  
InvoiceLineNumber — Invoice Line Number, *p. 19*  
InvoiceNumber — Invoice Number, *p. 13*  
InvoiceShipping — Invoice Shipping, *p. 22*  
InvoiceSubTotal — Invoice Sub Total, *p. 22*  
InvoiceTax — Invoice Tax, *p. 22*  
InvoiceTotal — Invoice Total, *p. 23*  
LineItemDescription — Line Item Description, *p. 21*  
LineItemSubTotal — Line Item Sub Total, *p. 21*  
LineItemTax — Line Item Tax, *p. 21*  
OrderNumber — Order Number, *p. 18*  
PartNumber — Part Number, *p. 20*  
PurchaseOrderRefLineNumber — Purchase Order Ref Line Number, *p. 20*  
Quantity — Quantity, *p. 19*  
RemitToAddress — Remit To Address, *p. 15*  
RemitToAddressID — Remit To Address ID, *p. 14*  
RemitToCity — Remit To City, *p. 15*  
RemitToCountryCode — Remit To Country Code, *p. 16*  
RemitToName — Remit To Name, *p. 14*  
RemitToPostalCode — Remit To Postal Code, *p. 16*  
RemitToState — Remit To State, *p. 15*  
root — root, *p. 11*  
row — row, *p. 12*  
UnitOfMeasure — Unit Of Measure, *p. 19*  
UnitPrice — Unit Price, *p. 20*  
VendorNumber — Vendor Number, *p. 14*

**[www.sap.com/contactsap](http://www.sap.com/contactsap)**

© 2017 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. For additional trademark information and notices, see <http://www.sap.com/corporate-en/legal/copyright/index.epx>.

