



INTEGRATION GUIDE | PUBLIC
2020-06-19

Turkey Electronic Invoices and Delivery Notes: Setting Up SAP Cloud Platform Integration (SAP S/4HANA Cloud) - Cloud Foundry environment

Content

- 1 Disclaimer. 3**
- 2 Introduction. 4**
- 3 Prerequisites. 5**
 - 3.1 Registration with the Tax Authorities and an Application Service Provider. 5
 - 3.2 Set Up SAP Cloud Platform Integration Tenants. 5
- 4 Configuration Steps in SAP Cloud Platform Integration. 6**
 - 4.1 Deploy User Credentials. 6
 - 4.2 Copy Published Package. 7
 - 4.3 Deploy Integration Flows. 8
- 5 Configuration Steps for SAP S/4HANA Cloud. 10**
 - 5.1 Configuring a Communication System. 10
 - 5.2 Configuring a Communication Arrangement. 13

1 Disclaimer

This documentation refers to links to Web sites that are not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:

- The correctness of the external URLs is the responsibility of the host of the Web site. Please check the validity of the URLs on the corresponding Web sites.
- The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
- SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.

2 Introduction

You use SAP Cloud Platform Integration to establish the communication with external systems and transfer to them the electronic documents you have created using the SAP Document Compliance solution. This document describes the setup steps that you must perform in your SAP S/4HANA Cloud tenant and SAP Cloud Platform Integration tenant so that the integration between the systems works.

The setup steps are typically done by an SAP Cloud Platform Integration consulting team, which is responsible for configuring the SAP S/4HANA Cloud tenant and the connection with SAP Cloud Platform Integration. This team may be also responsible for maintaining the integration content and certificates/credentials on the SAP Cloud Platform Integration tenant.

i Note

This document describes functionality that is provided by the Integration Package itself, that is, by the artifacts that are deployed in the SAP Cloud Platform Integration tenant. It may happen, however, that in the SAP S/4HANA Cloud tenant the access to such functionality is only partially implemented. Additionally, it may also happen that the tax authority servers do not provide all services that are described in this document. Please refer to the relevant SAP S/4HANA Cloud documentation and to the relevant tax authority information, respectively.

3 Prerequisites

3.1 Registration with the Tax Authorities and an Application Service Provider

You must ensure the following:

- You have completed registration with the tax authorities (TRA) for the invoice and delivery note scenarios.
- You have completed registration with an application service provider for the invoice and delivery note scenarios.

i Note

Currently, for the invoice scenario, this integration package supports the issuance of electronic invoices via Foriba only.

The application service provider issues user credentials (username and password) for your VKNs. You need to configure these user credentials on your SAP Cloud Platform Integration tenant. In addition, you need to get service URLs from your application service provider and configure them in integration flows. You can find application service providers who are in partnership with SAP from [SAP App Center](#) . Search with the keyword **SAP Document Compliance**.

3.2 Set Up SAP Cloud Platform Integration Tenants

Ensure that you have performed all initial setup steps described in [Initial Setup of SAP Cloud Platform Integration in Cloud Foundry Environment](#). After completing the Provisioning the Tenant step, you get your own tenant URL.

4 Configuration Steps in SAP Cloud Platform Integration

The following sections tell you the necessary configuration you do in SAP Cloud Platform Integration.

4.1 Deploy User Credentials

You must deploy the user credentials that you've got from your application service provider to the SAP Cloud Platform Integration tenant.


Note

User credentials for the delivery note scenario and invoices scenario may vary.

Procedure

To configure a pair of credentials (username and password), follow the steps below:

1. Log into your SAP Cloud Platform Integration tenant.
2. Go to *Monitor* (Operations view) and open the *Security Material* app.
3. Click *Add* on the top right corner of the browser window. Select *User Credentials*.



An *Add User Credentials* dialog box appears.

Add User Credentials

***Name:**

Description:

***Type:** ▼

***User:**

Password:

Repeat Password:

[Deploy](#) [Cancel](#)

4. In the *Name* field, create a name for your credentials.
5. In the *User* field, enter the user name.
6. In *Password* field, enter the password.
7. In the *Repeat Password* field, repeat the password.
8. Choose *Deploy*.


4.2 Copy Published Package

Context


Copy the package *SAP Document Compliance: Electronic Invoices and Delivery Notes for Turkey* to the target tenant as follows:

Procedure

1. Log in to your SAP Cloud Platform Integration tenant.
2. Choose **Discover** > **All** > **Discover**.



3. Search for *SAP Document Compliance: Electronic Invoices and Delivery Notes for Turkey*.
4. Select the package and choose *Copy*.



4.3 Deploy Integration Flows

Context

The following integration flows are available in the integration package *SAP Document Compliance: Electronic Invoices and Delivery Notes for Turkey*:

Integration Flow	Explanation
<i>Turkey Delivery Note via Specific Service Provider</i>	Use this integration flow if you want to issue electronic delivery notes via the application service provider Foriba.
<i>Turkey Invoice via Specific Service Provider</i>	Use this integration flow if you want to issue electronic invoices via Foriba.
<i>Turkey Delivery Note via Any Service Provider</i>	This integration flow supports the issuance of electronic delivery notes. Check with your application service provider if they are capable of processing requests from this integration flow.

For each integration flow, you must configure several parameters as described below:

Procedure

1. Open the integration package that you copied.
2. Go to the *Artifacts* tab page.
3. Choose **Actions > Configure** for the integration flow you want to configure.
4. Choose the *Sender* tab. Make the following settings:
 - In the *Address* field, keep the default address or enter a custom sender address.

If you have multiple company codes, instead of copying the integration package for each company code, you may want to copy an integration flow for each company code. In this case, to differentiate the sender addresses for different company codes, you can define custom, company code-specific sender addresses.

- From the *Authorization* dropdown list, select an authorization type. The available options are:

Authorization Type	Description
<i>User Role</i>	Select this authorization type if you want to use basic authentication (user/password) or client certificate authentication with Certificate-to-User-Mapping.
<i>Client Certificate</i>	Select this authorization type if you want to use client certificate authentication without Certificate-to-User-Mapping. For more information, see Cloud Integration – How to Setup Secure Outbound HTTP Connection using Key-store Monitor .

See the following example:

Receiver

Sender:

Adapter Type:

Connection

Address:

Authorization:

5. Choose the *Receiver* tab. Make settings as follows:
 - In the *Address* field, enter the service URL that you got from your application service provider.
 - In the *Credential Name* field, enter the name of the credential that you deployed to the SAP Cloud Platform Integration tenant (see [Deploy User Credentials \[page 6\]](#)).
6. Choose *Deploy* to deploy it to the server.

5 Configuration Steps for SAP S/4HANA Cloud

The following sections tell you the necessary configuration you do in SAP S/4HANA Cloud.

5.1 Configuring a Communication System


Create a communication system that represents your SAP Cloud Platform Integration tenant.

Prerequisites

- Live SAP Cloud Platform Integration test or productive tenant must be available.
- Communication systems and communication arrangements are not transportable. Configure them in both your quality and production systems.
- The SAP S/4HANA Cloud user, who configures communication systems and communication arrangements, must be assigned a business role with the business catalog `SAP_BCR_CORE_COM` (*Communication Management*) for accessing communication management apps.

Procedure

1. Log in to your S/4HANA Cloud tenant.
2. Find and launch the *Communication Systems* app. Choose *New*.



A *New Communication System* dialog box appears.

3. Create a system ID and give it a descriptive name.

For example, if the host name of your SAP Cloud Platform Integration tenant is `v1234.cfapps.sap.hana.ondemand.com`, you can use `EDOC_V1234` as the system ID.

New Communication System

*System ID:

*System Name:

Create Cancel

4. Choose *Create*.

An editing screen for the communication system appears.

5. In the *Technical Data* section, enter the host name and HTTPS port of the integration flow that you want to communicate with..

Technical Data

General

*Host Name:

Logical System:

Port:

Is Hub System:

UI Host Name:

Business System:


You can find the host name of an integration flow, as follows:


1. From the menu on the left, choose *Monitor*.
2. Select *Manage Integration Content (All)*.
3. Search for the integration flow.
4. Find the host name from the *Endpoints* tab.

The composition of an endpoint URL is **https://<host name>/<path>** .

Endpoints
Status Details
Artifact Details
Log Configuration

https://<host name>/<path>

WSDL ↓ 

WSDL without policies ↓ 

6. In the *User for Outbound Communication* section, choose +.

Contact Information

Contact Person Name: Phone Number:
 E-Mail:

OAuth 2.0 Identity Provider

Enabled:

User for Inbound Communication +

Authentication Method	User Name
	No data

User for Outbound Communication +

Authentication Method	User Name/Certificate/Client ID
	No data

7. Select an authentication method, which is used in connecting to your SAP Cloud Platform Integration tenant. Proceed as follows:

New Outbound User

*Authentication Method: User Name and Password ▼

*User Name: User Name and Password

*Password: SSL Client Certificate

OAuth 1.0

OAuth 2.0

None

Cancel

- If you select the authentication method *User Name and Password*, enter the value of your `clientId` in the *User Name* field, and the value of your `clientsecret` in the *Password* field. You create these values for your service instance in SAP Cloud Platform Integration. For more information, see [Creating Service Instances](#).

New Outbound User

*Authentication Method: User Name and Password ▼

*User Name:

*Password:

Create Cancel

- If you select the authentication method *SSL Client Certificate*, select the *Default Client Certificate* type and choose *Create*.
You must configure this certificate in SAP Cloud Platform Integration too. For that you create a service instance using the required grant_type. You create the service key using the certificate uploaded to the SAP S/4HANA Cloud. For more information, see [Defining a Service Key for the Instance in the Cloud Foundry Environment](#).

New Outbound User

*Authentication Method: SSL Client Certificate ▼

Certificate Type: Default Client Certificate ▼

Create Cancel


8. Choose *Save*.

5.2 Configuring a Communication Arrangement

Create a communication arrangement that describes the communication between your SAP S/4HANA Cloud tenant and SAP Cloud Platform Integration tenant.

Procedure

1. Log in to your S/4HANA Cloud tenant.
2. Find and launch the *Communication Arrangements* app. Choose *New*.



A *New Communication Arrangement* dialog box appears.

3. Enter the ID of the communication scenario that you want to use and an arrangement name.

The following communication scenarios are available for Turkey:

- SAP_COM_0421 (*eDocument - Turkey eDelivery Note and Incoming eDelivery Note Integration*)
- SAP_COM_0422 (*eDocument - Turkey Invoice and Incoming Invoice Integration*)

For example, if the host name of your SAP Cloud Platform Integration tenant is `v1234-tmn.avt.eu1.hana.ondemand.com`, you can use `SAP_COM_0419_V1234` as the communication arrangement name.

4. Choose [Create](#).

An editing screen for the communication arrangement appears.

5. In the [Communication System](#) field, enter the communication system that you created earlier.
6. Depending on the authentication method that you specified in the communication system, proceed as follows in the [Outbound Communication](#) section:
 - If the authentication method is [User Name and Password](#), the system displays the outbound user that you defined in the communication system automatically. You don't need to perform any action here.

- If the authentication method is [SSL Client Certificate](#) with the certificate type [Default Client Certificate](#), download the certificate here and upload it to SAP Cloud Platform Integration.

7. In the [Outbound Services](#) section, activate all the services by selecting the [Active](#) checkboxes and enter the paths of the related integration flows on SAP Cloud Platform Integration.

You can find the path for an outbound service on your SAP Cloud Platform Integration tenant, as follows:

1. From the menu on the left, choose [Monitor](#).
2. Select [Manage Integration Content](#) (All).

3. Search for the integration flow for the scenario you are configuring.
4. Find the path from the *Endpoints* tab.

The composition of an endpoint URL is **https://<host name>/<path>** .

The screenshot shows a configuration interface with four tabs: **Endpoints**, **Status Details**, **Artifact Details**, and **Log Configuration**. The **Endpoints** tab is active. A red rectangular box highlights the URL `https://...`. Below the URL, there are two rows of options: **WSDL** and **WSDL without policies**. To the right of each row is a download icon (a downward arrow and a document icon).

See the following outbound service examples:

The screenshot displays the **Outbound Services** configuration page. It contains two service entries, each with a dropdown arrow on the left and buttons for **Download WSDL** and **Check Connection** on the right.

- Turkey eInvoice Services:**
 - Service Status: Active
 - Application Protocol: SOAP
 - Port: 443
 - Path: /cxfl/Turkey/eInvoice
 - Service URL: https://.../cxfl/Turkey/eInvoice
- eDocument Turkey consumer invoice services:**
 - Service Status: Active
 - Application Protocol: SOAP
 - Port: 443
 - Path: /cxfl/Turkey/eInvoice
 - Service URL: https://.../cxfl/Turkey/eInvoice



8. Choose *Save*.

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
 - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
 - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon : You are leaving the documentation for that particular SAP product or service and are entering a SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Gender-Related Language

We try not to use gender-specific word forms and formulations. As appropriate for context and readability, SAP may use masculine word forms to refer to all genders.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

© 2020 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.