



PUBLIC

2025-07-02

# Thailand Electronic Invoicing: Setting Up SAP Integration Suite (SAP ERP, SAP S/4HANA) - Cloud Foundry environment

# Content

- 1 Disclaimer. . . . . 3**
- 2 Introduction. . . . . 4**
- 3 Prerequisites. . . . . 5**
  - 3.1 Register with a Service Provider. . . . . 5
  - 3.2 Configure the Creation of Electronic Documents in XML Format. . . . . 5
  - 3.3 Set Up Your Tenants. . . . . 6
- 4 Configuration Steps in SAP Integration Suite. . . . . 8**
  - 4.1 Deploy Security Credentials. . . . . 8
  - 4.2 Copy Published Package. . . . . 10
  - 4.3 Deploy Integration Flows and Value Mappings. . . . . 11
    - Parameter Information. . . . . 13
- 5 Configuration Steps in SAP S/4HANA or SAP ERP. . . . . 15**
  - 5.1 Create Proxy Configurations in SOA Manager. . . . . 15
- 6 Test the Integration. . . . . 21**

# 1 Disclaimer

This documentation refers to links to Web sites that are not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:

- The correctness of the external URLs is the responsibility of the host of the Web site. Please check the validity of the URLs on the corresponding Web sites.
- The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
- SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.

## 2 Introduction

You use SAP Integration Suite to establish the communication with your service provider and transfer to them the electronic documents in XML format you have created using the SAP Document and Reporting Compliance solution. This document lists the required setup steps you must perform in your SAP S/4HANA or SAP ERP system and SAP Integration Suite tenant so that the integration between the systems works.

The setup steps are typically done by an SAP Integration Suite consulting team, which is responsible for configuring the connection with SAP Integration Suite. This team may be also responsible for maintaining the integration content and certificates/credentials on the SAP Integration Suite tenant.

### ⓘ Note

Although the service name **SAP Integration Suite** is used in the guide title and throughout the guide, this guide **also applies to SAP Cloud Integration running in the Cloud Foundry environment**. If you were onboarded before July 2020, the service you use is SAP Cloud Integration. The initial setup steps for the two services are different, while the integration flow settings and configuration steps in your back-end system are the same. See the **Set Up Your Tenants** section for their respective initial setup steps.

### ⓘ Note

This document describes functionality that is provided by the Integration Package itself, that is, by the artifacts that are deployed in the SAP Integration Suite tenant. It may happen, however, that in the SAP S/4HANA or SAP ERP system the access to such functionality is only partially implemented. Additionally, it may also happen that the tax authority servers do not provide all services that are described in this document. Please refer to the documentation for SAP S/4HANA or SAP ERP and to the relevant tax authority information, respectively.

## 3 Prerequisites

[Register with a Service Provider \[page 5\]](#)

Register with a service provider to use their APIs to communicate with the Revenue Department (RD) of Thailand.

[Configure the Creation of Electronic Documents in XML Format \[page 5\]](#)

Ensure that you have configured the creation of electronic documents in XML format in your SAP S/4HANA or SAP ERP system.

[Set Up Your Tenants \[page 6\]](#)

### 3.1 Register with a Service Provider

Register with a service provider to use their APIs to communicate with the Revenue Department (RD) of Thailand.

**Parent topic:** [Prerequisites \[page 5\]](#)

#### Related Information

[Configure the Creation of Electronic Documents in XML Format \[page 5\]](#)

[Set Up Your Tenants \[page 6\]](#)

### 3.2 Configure the Creation of Electronic Documents in XML Format

Ensure that you have configured the creation of electronic documents in XML format in your SAP S/4HANA or SAP ERP system.

#### Documentation

If you use SAP S/4HANA, to find documentation about the required configuration steps and business processes, follow the steps below:

1. Go to SAP Help Portal at <https://help.sap.com>.
2. Search with the keyword **SAP S/4HANA**.
3. From the suggested products, select **SAP S/4HANA**.
4. At the top of the browser window, select your product version.
5. In the *Product Assistance* section, select a language.
6. From the navigation pane on the left, select **Local Versions** > *Asia-Pacific* > *Thailand* > *Cross-Application Functions* > *Document and Reporting Compliance* > *Electronic Documents*.

If you use **SAP ERP**, to find documentation about the required configuration steps and business processes, follow the steps below:

1. Go to SAP Help Portal at <https://help.sap.com>.
2. Search with the keyword **SAP ERP**.
3. From the suggested products, select **SAP ERP**.
4. At the top of the browser window, select your Enhancement Package version.
5. In the *Application Help* section, select your support package version.
6. From the navigation pane on the left, select **Local Versions** > *Asia-Pacific* > *Thailand* > *Cross-Application Functions* > *Document and Reporting Compliance* > *Electronic Documents*.

Parent topic: [Prerequisites \[page 5\]](#)

## Related Information

[Register with a Service Provider \[page 5\]](#)

[Set Up Your Tenants \[page 6\]](#)

## 3.3 Set Up Your Tenants

You have set up your tenant as follows:

- If you have subscribed to Process Integration, perform all the initial setup steps described in [Initial Setup of SAP Cloud Integration in Cloud Foundry Environment](#).
- If you have subscribed to Integration Suite, perform all the initial setup steps described in [Initial Setup](#).

### Note

The SAP Document and Reporting Compliance solution requires the **Cloud Integration capability**. You need to activate this capability in the step **Provisioning the Capabilities**.

### Note

Your service provider might renew their SSL certificate every year. If they do so, then you must deploy a new SSL certificate on your tenant every year.

**Parent topic:** [Prerequisites \[page 5\]](#)

## **Related Information**

[Register with a Service Provider \[page 5\]](#)

[Configure the Creation of Electronic Documents in XML Format \[page 5\]](#)

# 4 Configuration Steps in SAP Integration Suite

Required steps in SAP Integration Suite.

[Deploy Security Credentials \[page 8\]](#)

When attempting to communicate with your service provider, you go through an authentication step in which your service provider asks for some security credentials. You must configure these security credentials in your SAP Integration Suite tenant.

[Copy Published Package \[page 10\]](#)

[Deploy Integration Flows and Value Mappings \[page 11\]](#)

Required steps for configuring the integration flows and value mappings in this integration package.

## 4.1 Deploy Security Credentials

When attempting to communicate with your service provider, you go through an authentication step in which your service provider asks for some security credentials. You must configure these security credentials in your SAP Integration Suite tenant.

### Required Security Credentials


The required security credentials are as follows:

Name	Description
<code>edoc_th_stream_auth_&lt;tax id&gt;</code>	<p>This credential is an authentication token provided by your service provider. It's used in calling all service provider APIs.</p> <p><code>&lt;tax id&gt;</code> is the combination of your 13-digit VAT registration number and 5-digit branch code, as follows:</p> <p><code>&lt;13-digit VAT registration number&gt;&lt;5-digit branch code&gt;</code></p>
<code>edoc_th_stream_apikey_&lt;tax id&gt;</code>	<p>This credential is an API key issued by your service provider. It's used in calling all service provider APIs.</p>

### Procedure

To configure the above credentials, follow the steps below:

1. Log into your SAP Integration Suite tenant.
2. Go to *Monitor* (Operations view) and open the *Security Material* app.
3. Choose *Create* on the top right corner of the browser window. Select *User Credentials*.



4. Make the following settings:
  - **Name:** Enter `edoc_th_stream_auth_<tax id>`. Remember to replace `<tax id>` with your own value.
  - **User:** Enter the value of the credential.
  - **Password:** Enter the password.
  - **Repeat Password:** Repeat the password.

### Create User Credentials

Name: \*

Description:

Type: \*


User: \*

Password:

Repeat Password:

[Deploy](#) [Cancel](#)

5. Choose *Deploy*. Go back to the initial screen of the *Security Material* app.
6. Choose *Create* on the top right corner of the browser window. Select *Secure Parameter*.



7. Make the following settings:
  - **Name:** Enter `edoc_th_stream_apikey_<tax id>`. Remember to replace `<tax id>` with your own value.

- *Secure Parameter*: Enter the value of the credential.
- *Repeat Secure Parameter*: Repeat the value of the credential.

### Create Secure Parameter

---

Name: \*

Description:

Secure Parameter: \*

Repeat Secure Parameter: \*

[Deploy](#) [Cancel](#)

8. Choose *Deploy*.

**Parent topic:** [Configuration Steps in SAP Integration Suite \[page 8\]](#)

## Related Information

[Copy Published Package \[page 10\]](#)


[Deploy Integration Flows and Value Mappings \[page 11\]](#)

## 4.2 Copy Published Package


### Context

### Procedure

1. In the *Discover* section of your tenant, select the package *SAP Document and Reporting Compliance: Electronic Invoicing for Thailand*.



2. Select the package and choose *Copy*.



**Task overview:** [Configuration Steps in SAP Integration Suite \[page 8\]](#)

## Related Information

[Deploy Security Credentials \[page 8\]](#)

[Deploy Integration Flows and Value Mappings \[page 11\]](#)

## 4.3 Deploy Integration Flows and Value Mappings

Required steps for configuring the integration flows and value mappings in this integration package.

### Context

The available integration flows and value mappings are as follows:

Artifact Type	Artifact Name	Functions
Integration Flow	Thailand Send Document	Sends electronic documents to your service provider, who then forwards them to the RD.




Artifact Type	Artifact Name	Functions
Integration Flow	Thailand Get Status	Gets processing statuses of electronic documents at the RD side from your service provider.
Value Mapping	Thailand Document Type Mapping	Maps document types used in your SAP system to message codes defined by your service provider.

#### Note

If your service provider is Stream, you don't have to configure the *Thailand Document Type Mapping* value mapping by yourself. It's pre-configured by SAP.

## Procedure

1. Open the integration package that you copied.
2. Select the *Artifacts* tab.
3. Select an integration flow or value mapping. Choose the *Actions* icon and then *Configure*.

<input type="checkbox"/> Name	Type	Version	Actions
<input type="checkbox"/> <b>Thailand Document Type Mapping</b> Created	Value Mapping	Draft	 >
<input type="checkbox"/> <b>Thailand Get Status</b> Created	Integration Flow	Draft	 >
<input type="checkbox"/> <b>Thailand Send Document</b> Created	Integration Flow	Draft	 >

4. Make the required settings.

#### Note

If your service provider is Stream, you don't have to configure the *Thailand Document Type Mapping* value mapping by yourself. It's pre-configured by SAP.

5. Choose *Deploy*.
6. Configure the other integration flows that you want to use.

#### [Parameter Information \[page 13\]](#)

Learn how you should configure the parameters of each integration flow.

**Task overview:** [Configuration Steps in SAP Integration Suite \[page 8\]](#)

## Related Information

[Deploy Security Credentials \[page 8\]](#)

[Copy Published Package \[page 10\]](#)

### 4.3.1 Parameter Information

Learn how you should configure the parameters of each integration flow.

The following table explains the parameters for each integration flow:

Integration Flow	Parameter	Explanation
<i>Thailand Send Document</i>	<i>Service URL (More tab → All Parameters type)</i>	This parameter specifies the URL of a specific service from your service provider.
<i>Thailand Get Status</i>	<i>Enable Attachments (More tab → All Parameters type)</i>	This parameter enables or disables the attachments function for message processing logs. To enable it, set this parameter to <b>x</b> . To disable it, set this parameter to blank.
		<b>→ Recommendation</b> Since the attachments function is very resource intensive, we suggest that you disable it if it's not very necessary.
	<i>Timeout (in ms) (Receiver tab)</i>	This parameter sets the maximum time in milliseconds that the tenant waits for a response before terminating message processing.

Integration Flow	Parameter	Explanation
<i>Thailand Send Document</i>	<i>Product Code (More tab → All Parameters type)</i>	<div data-bbox="1007 353 1394 521" style="background-color: #f0f0f0; padding: 5px;"> <p><b>Note</b></p> <p>This parameter is relevant only if your service provider is <b>TaxOne Stream</b>.</p> </div> <p>Enter the product code that you get from your service provider. The product code is then displayed in the ID field of the ExchangedDocument XML tag.</p> <p>If you leave this parameter empty, the system uses the company code (value of the ID field under SupplyChainTradeTransaction → ApplicableHeaderTradeAgreement → SellerTradeParty) as the product code. The company code is then displayed in the ID field of the ExchangedDocument XML tag. However, the company code may not be the same as the product code. You'll receive an error later on if the product code isn't correct.</p>

**Parent topic:** [Deploy Integration Flows and Value Mappings \[page 11\]](#)

# 5 Configuration Steps in SAP S/4HANA or SAP ERP

Required steps on your SAP S/4HANA or SAP ERP system.

[Create Proxy Configurations in SOA Manager \[page 15\]](#)

Configure the required proxies in SOA Manager in your SAP S/4HANA or SAP ERP system.

## 5.1 Create Proxy Configurations in SOA Manager

Configure the required proxies in SOA Manager in your SAP S/4HANA or SAP ERP system.

### Context

You connect the required proxies to your SAP Integration Suite tenant via logical ports. In a test SAP S/4HANA or SAP ERP system, you configure the logical ports to connect to your test SAP Integration Suite tenant. In a productive SAP S/4HANA or SAP ERP system, you configure the logical ports to connect to your productive SAP Integration Suite tenant.

#### Note

Depending on your product version, the look and feel of the screens in your system may differ from the screenshots in this document.

### Procedure

1. Call up transaction SOAMANAGER. Choose [Web Service Configuration](#).

Service Administration   Technical Administration   Logs and Traces   Management Connections   Services Registry   Monitoring

**Identifiable Business Context**  
Display and maintain Identifiable Business Contexts (IBCs)

**Identifiable Business Context Reference**  
Display and maintain Identifiable Business Contexts references (IBC reference)

**Design Time Cache**  
Display central design time cache

**Web Service Configuration**  
Configure service definitions, consumer proxies and service groups

**Simplified Web Service Configuration**  
Configure service definitions for Web service consumers with limited capabilities

**Logon Data Management**  
Define logon data used by business scenario configuration

**Pending Tasks**  
Process pending tasks generated by business scenario configuration

**Local Integration Scenario Configuration**  
Configure multiple service definitions and service groups supporting change management

**Logial Determination of Receiver using Service Groups**  
Define rules for determining receiver IBC reference during service group runtime

**Logical Determination of Receiver, Sender and Authentication using Consumer Factories**  
Define rules for determining receiver IBC, sender IBC and authentication method during consumer factory runtime

**Web Service Isolation**  
Tool to isolate service definitions and consumer proxies

2. Search for the proxies for electronic documents for Thailand with the search criterion **object name containing EDOCTH\***.

Design Time Object Search   Configuration Search

Search criteria

Object Type is All

**Object Name contains EDOCTH\***

Maximum Number of Results: 100   Saved Search:


Search   Clear values   Reset search criteria

The available proxies are as follows:


Proxy Name	Function	Endpoint Path
eDocTHSendTaxInvoicePort	Sends invoices to your service provider, who then forwards them to the Revenue Department (RD) of Thailand.	/cxf/th/sendinvoice
eDocTHSendDebitCreditNotePort	Sends credit noes and debit notes to your service provider, who then forwards them to the RD.	/cxf/th/sendinvoice
eDocTHSendReceiptPort	Sends receipts to your service provider, who then forwards them to the RD.	/cxf/th/sendinvoice

Proxy Name	Function	Endpoint Path
eDocTHGetStatus	Gets processing statuses of documents at the RD side from your service provider.	/cxF/th/getstatus

- From the search results, select a proxy and choose **Create** > **Manual Configuration**.



- Enter a logical port name and description. Choose **Next**.



- On the **Consumer Security** page, select the **User ID / Password** authentication method. Enter the value of your `clientId` in the **User Name** field, and the value of your `clientsecret` in the **Password** field. Then choose **Next**.

You create these values for your service instance in SAP Integration Suite. For more information, see [Creating Service Instances](#).

6. On the *HTTP Settings* page, select the *URL components* radio button and make the following settings:

Setting	Remark
<i>Protocol</i>	Select <i>HTTPS</i> .
<i>Host</i>	<p>Enter the host name of the integration flow that you want to communicate with. You can find the host name on your SAP Integration Suite tenant, as follows:</p> <ol style="list-style-type: none"> <li>From the menu on the left, choose <i>Monitor</i>.</li> <li>Select <i>Manage Integration Content</i> (All).</li> <li>Search for the integration flow.</li> <li>Find the host name from the <i>Endpoints</i> tab.</li> </ol> <p>The composition of an endpoint URL is <b>https://&lt;host name&gt;/&lt;path&gt;</b>.</p>
<i>Port</i>	Enter <b>443</b> , which is the standard port for the HTTPS protocol.
<i>Path</i>	Find the path in step 2.
<i>Proxy</i>	Enter the information about your company's network proxy.

1 Logical Port Name 2 Consumer Security 3 **HTTPSettings** 4 SOAP Protocol 5 Identifiable Business Context 6 Operation Settings

Back Next Finish Cancel

URL Access Path

Complete URL  URL components

\* Protocol: HTTPS

\* Host:

Port: 443

\* Path:

Logon Language: Language of User Context

Proxy

Name of Proxy Host:

Port Number of Proxy Host:

User Name for Proxy Access:

Password of Proxy User:

Choose *Next*.

- On the *SOAP Protocol* page, set the message ID protocol to *Suppress ID Transfer*. As for the other settings, use the defaults. Choose *Finish*.

1 Logical Port Name 2 Consumer Security 3 HTTPSettings 4 **SOAP Protocol** 5 Identifiable Business Context 6 Operation Settings

Back Next Finish Cancel

Message ID (Synchronous)

Message ID Protocol: Suppress ID Transfer

Metering of Service Calls

Data transfer scope: Enhanced Data Transfer

Transfer protocol: Transfer via SOAP header

Message Attachment Handling

Process Attachments: No

No settings are required on the *Identifiable Business Context* and *Operation Settings* pages.

- Repeat steps 3 to 7 for the other proxies.

## Next Steps

To complete the communication settings, you need to carry out the following Customizing activities related to SOA services in SAP S/4HANA or SAP ERP:

- [Define SOA Services for Communication](#) (EDOSOASERV view)  
Create SOA services and assign the logical ports that you have defined to them.
- [Assign SOA Services to eDocument Interfaces](#) (EDOINTV view)

**Task overview:** [Configuration Steps in SAP S/4HANA or SAP ERP \[page 15\]](#)

## 6 Test the Integration

Test the communication between your back-end SAP system, SAP Integration Suite, service provider, and the Revenue Department (RD) using your test tenants.

The [Configure the Creation of Electronic Documents in XML Format \[page 5\]](#) topic of this guide describes how to find the documentation about the required configurations and business processes. To test the integration, perform the procedures described in the following topics in this documentation:

- [Creating and Sending an Electronic Invoice](#)
- [Creating and Sending an Electronic Payment Receipt](#)

### Note



Although both documents appear part of the SAP S/4HANA documentation, they apply to both SAP S/4HANA and SAP ERP.

# Important Disclaimers and Legal Information

## Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
  - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
  - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

## Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

## Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

## Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

## Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.



© 2025 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.